CATALOG 36-37


THE FRANKELITE COMPANY

CLEVELAND, OHIO



## MODERN INDIRECT • SEMI-INDIRECT

# LIGHTING EQUIPMENT by Frankelite



### Facilities to serve you

**EXPERIENCE FACILITIES EQUIPMENT** ADVANCED METHODS

PERSONNEL

TO **SERVE** YOU



Twenty-eight years' experience in the manufacture of lighting equipment.

Over seventy-five thousand square feet of floor space. Advanced Methods of Manufacture. Large Scale Production.

Newly enlarged Designing and Developing Department of qualified Personnel bringing to you the latest in design, finishes and engineering.

These, plus the "desire to serve you," make possible the many advantages we are able to offer you.

#### General Information and Instructions

That we may be in a position to attend to your requirements promptly and according to your wishes, always observe and comply with the following instructions when ordering—

SPECIFY—Quantity, Catalogue Number, Finish and other important detail. Fixtures are shipped wired unless otherwise specified.

#### FINISHES

Fixtures are carried in stock only in such finishes as designated and cannot be made differently.

#### SPECIALS

Designs as shown cannot be changed without increased manufacturing costs, delays in deliveries and other various reasons. We request that sales be made according to the specifications and designs as well as finishes, of all numbers represented in this catalogue.

#### SHIPMENTS AND CLAIMS

Where routing is not furnished, we use our best discretion. As we employ experienced packers and exercise reasonable care, we cannot be held responsible for breakage in shipments delivered to the Carrier in good order. Our responsibility ends when we obtain the Carrier's receipt.

Damage in transit should be adjusted between the customer and the transportation company. We are always willing to give the customer all possible assistance in filing a claim, but we cannot—in any instance—assume the loss ourselves.

#### **SHORTAGES**

All orders are checked and carefully rechecked to avoid errors. Packing slips are included with each shipment and claims must be made promptly.

#### RETURN MERCHANDISE

Do not return any merchandise for credit without first obtaining our permission and shipping instructions.

#### TERMS

To parties of approved credit—NET 30 Days, 2% Cash Discount if paid within 10 Days from date of invoice.

We solicit new accounts on a credit basis. To facilitate prompt shipments on initial orders, please furnish us with credit references and other information pertaining to credit character.

#### C. O. D.

C. O. D. Shipments will be made on receipt of a substantial deposit to cover transportation charges—plus an equivalent amount.

#### THE FRANKELITE COLOR REFLECTORS FOR DECORATIVE LIGHTING EFFECTS.

Frankelite has developed an ingenious means of producing interesting and effective Decorative Color Light Effects with the modern lighting fixtures shown in this catalog and other lighting fixtures and equipments.

Patents Pending.

#### IMPORTANT FEATURES OF THE FRANKELITE COLOR REFLECTORS.

- 1. Unbreakable; made of metal.
- 2. Reversible.
- Does not absorb any of the useful light of the fixtures.
- Unlimited combinations with one set of color ref lectors.
- 5. Simple to install. Merely snap into place.
- Instant color changes or combinations made with the same set of color reflectors.
- 7. Easy Accessibility.
- 8. Easily cleaned.
- 9. Low cost.
- 10. One or more colors may be used on the same or alternating Louvres.

The Frankelite Color Reflector may be used on the following fixtures shown in this catalog;

1.	The	Nevarre Series	Page	11
2.	The	Earlwood Series	Page	12
3.	The	Fleetwood Series	Page	14
4.	The	Delwood Series	Page	15
5.	The	Barrington Series	Page	41
6.	The	Burlington Series	Page	42
7.	The	Modernizer	Pages 43 and	44
8.	The	Louvre Series	Pages 45 to	47
9.	The	Office Lamps	Page	
lition	4- 4	have the Donal 114	01 00	


In addition to these the Frankelite Color Reflectors may be used with other fixtures.

COMPLETE INFORMATION, PRICES AND STAND ARD COLORS, UPON REQUEST.

Special colors or combinations may be had.

#### THE GILMORE SERIES

FINISH: Hand Bronze with details high-lighted in Rich Gold. 6-inch Creamex glass shades furnished.



Catalog	Style	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
2220	1-Light Semi-Ceiling	9 1/2	17	****	3	Gab
2226	5-Light Drop	21	36	****	3	Gain
2221	1-Light Wall Bracket	6	11	7 1/2	. 6	Gable
	All fixtures wired and individually packed.		All	Fixtures, Pr	rice Schedu	le "F"

Note: Bottom turn knob switch on No. 2226 controls two, three or five lights.


This Series includes a complete line of all types of fixtures in addition to those shown above. See the following pages.

THE GILMORE SERIES of glass shaded light fixtures is designed in the modern feeling, of liberal proportions, to look well in homes tastefully appointed. The "Better-Light for Better-Sight" principles are here incorporated to a fine degree. The stream-lined glass blends beautifully with the fine metal finishes and harmonize in outlines.



#### THE GILMORE SERIES

FINISH: Hand Bronze with details high-lighted in Rich Gold.
6-inch Creamex glass shades furnished.



Catalog Number	Style	Spread Inches	Length Inches	Standard Package	Code
2223	3-Light Semi-Ceiling	17	19	3	Gad
2224	3-Light Drop	17	36	3	Gag
2225	5-Light Semi-Ceiling	21	36	3	Gager
2229	1-Light Hall Drop	9 1/2	36	3	Gale

All fixtures wired and individually packed,

All Fixtures, Price Schedule "F"

Additional pieces of THE GILMORE SERIES are here shown.


The Series is described on preceding page and includes a complete range of fixture types to meet every lighting need for the finer residence. The new type of approved glass reflector dining room "Better Light-Better Sight" fixture (the "Dinalite" using the 100/200/300-watt type bulb, also the "Dinetalite" using either the 100 or 150-watt Standard bulb) is illustrated and fully described on following pages.



#### THE GLENDALE SERIES

FINISH: New Ivory with details high-lighted in Rich Gold.

5 1/2 -inch Ivoglo Glass Shades furnished.



Catalog Number	Style	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
2230	1-Light Semi-Ceiling	9 1/2	17	****	3	Gender
2236	5-Light Drop	20	36	****	3	Gently
2231	1-Light Wall Bracket	6	11	7 1/2	6	Genera

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

This Series includes a complete line of all types of fixtures in addition to those shown above.

See the following pages.

Note: Bottom turn knob switch on No. 2236 controls two, three or five lights.

THE GLENDALE SERIES of glass shaded fixtures is modern in character and scientific in design. "Better-Light for Better-Sight" obtained with the new Ivoglo glass shades. The glass and Ivory finish of the fixture harmonizes, and interest is added with rich gold high-lighted details all blending in beautiful composition. These fixtures may well command the center of attention of any interior decorative scheme.

EASE

FOR


MODERN

DIGNIFIED BEAUTY

AND

#### THE GLENDALE SERIES

FINISH: New Ivory with details high-lighted in Rich Gold. 51/2-inch Ivoglo Glass Shades furnished.



2234 8 2235 5	Style 3-Light Semi-Ceiling 3-Light Drop 5-Light Semi-Ceiling 4-Light Hall Drop	Spread Inches 17 17 20 9 1/2	Length Inches 19 36 19 36	Standard Package 3 3	Code Genial Genius Gentle Get
------------------	--	---	--	-------------------------------	---

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

Additional pieces of THE GLENDALE SERIES are here shown.


The Series is described on preceding page and includes a complete range of fixture types to meet every lighting need for the finer residence. The new type of approved glass reflector dining room "Better Light-Better Sight" fixture (the "Dinalite" using the 100/200/300-watt type bulb, also the "Dinetalite" using either the 100 or 150-watt Standard bulb) is illustrated and fully described on following pages.



#### THE GARWOOD SERIES

FINISH: Deep Tone Bronze accented with high-lights in Rich Gold.

6-inch Lily-Cup Glass of Soft Pearl Hue furnished.



Catalog Number	Style	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
2250	1-Light Semi-Ceiling	9 1/2	17	****	3	Giant
2256	5-Light Drop	21	36	****	3	Gig
2251	1-Light Wall Bracket	6	11	7 1/2	6	Gibber

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

This Series includes a complete line of all types of fixtures in addition to those shown above. See the following pages.

Note: Bottom turn knob on switch No. 2256 controls two, three or five lights.

THE GARWOOD SERIES.—The modern interpretation of the Colonial Style is here expressed both in delicacy and detail of outline and the rich nature of the finishes. The modern idea in shaded light for "Better-Sight" is brought to perfection by the classic lily-cup glass of soft pearl hue. These fixtures will greatly accent the richly furnished interiors.

All Fixtures, Price Schedule "F"




FOR

DIGNIFIED BEAUTY

#### THE GARWOOD SERIES

FINISH: Deep Tone Bronze accented with high-lights in Rich Gold. 6-inch Lily-Cup Glass of Soft Pearl Hue furnished.



Catalog Number 2250 2253 2254 2255 2259	Style 1-Light Semi-Ceiling 3-Light Semi-Ceiling 3-Light Drop 5-Light Semi-Ceiling 1-Light Hall Drop	Spread Inches 9 ½ 17 17 21 9 ½	Length Inches 17 20 36 20 36	Standard Package 3 3 3 3	Code Giant Giblet Giddy Gift Gimp
All fixt	ures wired and individually packed.		All Fixtures	Dries Cohos	

Additional pieces of THE GARWOOD SERIES are here shown.

The Series is described on preceding page and includes a complete range of fixture types to meet every lighting need for the finer residence. The new type of approved glass reflector dining room "Better Light-Better Sight" fixture (the "Dinalite" using the 100/200/300-watt type bulb, also the "Dinetalite" using either the 100 or 150-watt Standard bulb) is illustrated and fully described on following pages.

MODERN



#### THE GAYLORD SERIES

FINISH: New Ivory trimmed with Bright New Gold. High-lighted
5-inch Patented Habana Glass Shades furnished.



Catalog Number	Style	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
2260	1-Light Semi-Ceiling	9 ½	17		3	Goad
2266	5-Light Drop	20	36		3	Goby
2261	1-Light Wall Bracket	6	11	7 ½	6	Goal

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

This Series includes a complete line of all types of fixtures in addition to those shown above.

See the following pages. Note: Bottom turn knob on switch No. 2266 controls two, three or five lights.

THE GAYLORD SERIES is outstanding in its grace and simplicity of design. It is the modern version of the Colonial fixture. The beauty of the rich ivory trimmed with bright gold further emphasizes its richness and appeal. The fixtures are all of the latest "Better-Sight" type with shaded glass in the patented Habana finish. This line will go well with the finest interiors. All fixtures come complete, wired and with glass shades.

COMFORT

FOR

EASE



#### THE GAYLORD SERIES

FINISH: New Ivory trimmed with Bright New Gold. High-lighted 5-inch Patented Habana Glass Shades furnished.



Catalog Number	Style	Spread Inches	Length Inches	Standard Package	Code
2263	3-Light Semi-Ceiling	17	20	3	Gobble
2264	3-Light Drop	17	36	3	Goblet
2265	5-Light Semi-Ceiling	20	20	3	Goblin
2269	1-Light Hall Drop	9 1/2	36	3	Golden

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

Additional pieces of THE GAYLORD SERIES are here shown.

The Series is described on preceding page and includes a complete range of fixture types to meet every lighting need for the finer residence. The new type of approved glass reflector dining room "Better Light-Better Sight" fixture (the "Dinalite" using the 100/200/300-watt type bulb, also the "Dinetalite" using either the 100 or 150-watt Standard bulb) is illustrated and fully described on following pages.

No. 2227 and No. 2228 Hand Bronze with details high-lighted in Rich Gold. FINISHES: No. 2237 and No. 2238 New Ivory with details high-lighted in Rich Gold.




DIAGRAM SHOWING IMPORTANT FEATURES OF THE "DINALITE"

- A. Glass diffuser of approved type designed to conform with Better-Light principles,
- giving glareless, shadowless light. The new three-way two filament bulb, 100/200/300 watts at turn of switch. C. White inner lining of shade reflects light
- giving proper distribution. Beautiful and decorative shade lends
- charm and character to the room. New three-way Mogul socket receiving lamp (B).
- Fixture supported by attractive and well-styled pendant.
- Three-way switch conveniently located. 100/200/300 watts at turn of switch.

**FEATURES** OF THE SIGHT-SAVING

THREE-LIGHT LAMP

#### DIAGRAM SHOWING IMPORTANT FEATURES OF THE "DINETALITE"

- A. Inner glass diffuser, shape designed to conform with Better-Light principles, enclosing bulb (B), giving glareless, shadowless light.
- B. For highest efficiency use 150 watt bulb May also be used with other wattages, if desired.
- C. Inner lining specially treated to properly reflect and distribute light.
- D. Outer shade of Parchette in neat, attractive design, lending charm to the room.
- E. Porcelain socket, medium base.
- F. Pendant support of attractive and charming design.



FINISHES: No.2257 and No. 2258 Deep Tone Bronze accented with high-lights in Rich Gold. No. 2267 and No. 2268 New Ivory trimmed with Bright New Gold high-lighted.



DIAGRAM SHOWING IMPORTANT FEATURES OF THE "DINALITE"

- A. Glass diffuser of approved type designed to conform with Better-Light principles,
- giving glareless, shadowless light. The new three-way two filament bulb, 100/200/300 watts at turn of switch.
- C. White inner lining of shade reflects light giving proper distribution.
- D. Beautiful and decorative shade lends charm and character to the room.
- New three-way Mogul socket receiving lamp (B).
- F. Fixture supported by attractive and well-styled pendant.
- G. Three-way switch conveniently located. 100/200/300 watts at turn of switch.

**FEATURES** OF THE

SIGHT-SAVING

#### DIAGRAM SHOWING IMPORTANT FEATURES OF THE "DINETALITE"

- A. Inner glass diffuser, shape designed to conform with Better-Light principles, enclosing bulb (B), giving glareless, shadowless light.
- B. For highest efficiency use 150 watt bulb May also be used with other wattages, if desired.
- C. Inner lining specially treated to properly reflect and distribute light.
- THREE-LIGHT LAMP D. Outer shade of Parchette in neat, attractive design, lending charm to the room.
  - E. Porcelain socket, medium base.
  - Pendant support of attractive and charming

#### THE NAVARRE SERIES

FINISH: New Ivory Crackle with Gold Trim; Rims beautifully high-lighted in Gold.



Catalog Number	Style	Capacity	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
771	1-Light Wall Bracket	25 to 75-watts	6	8	7	4	Accept
772	3-Light Semi-Ceiling	25 to 75-watts each	14	15		3	Access
773	S-Light Pendant Drop	25 to 75-watts each	14	36		3	Acclaim

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

THE NAVARRE SERIES is the latest achievement in the "Better Light-Better Sight" type of lighting fixtures. These fixtures produce effective illumination for eye-comfort. The light source is completely concealed, and the scientific shape of the bowl reflector is designed to throw the light upward, which in turn is reflected from the ceiling, giving the entire room a soft, restful and very pleasant illumination. The bottom Louvre permits enough light to escape to give a very pleasant airiness to the fixture. The clear crystal details enhance the richness and brilliance of the unit. The finish of this series is a development of our own studios. The warm Ivory tint crackle, with white hair lines showing through, augmented by the rich Gold burnished rims, gives decorative charm to the room.

EASE



#### THE MELBOURNE SERIES

FINISH: New Ivory Crackle with Gold Trim; Rims beautifully high-lighted.



Catalog Number	Style	Capacity	√Spread Inches	Length Inches	Extension Inches	Standard Package	Code
775	3-Light Pendant Drop	Up to 75-watts each	14	36		9	A
777	3-Light Semi-Ceiling	_				3	Accord
	9	Up to 75-watts each	14	15		3	Account
778	1-Light Wall Bracket	Up to 75-watts	6	7	7	4	Accrue
A	ll fixtures wired and indiv	idually packed.		All F	'ixtures. Pri	ce Schedule	(cEn

THE MELBOURNE is similar in character and finish to the NAVARRE SERIES, carrying throughout the same scientific principles of lighting and beauty of design except that in the Navarre Series we have provided semi-indirect lighting effects by means of rich Opal bottom-glass in the hanging fixture and beautiful Pearl cup-glass to match in the bracket.

#### THE EARLWOOD SERIES

FINISHES: Mat Aluminum high-lighted; also made in Bronze with Gold Trim

(When ordering be sure to specify finish wanted.)



Catalog Number	Style	Capacity	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
761	1-Light Indirect Wall	Bracket 200-watts	6	11	10	4	Acacia
762*	1-Light Bracket, Porta	ble Hang-Up 200-watts	6	11	10	4	Accede
764	1-Light Pendant Drop	200-watts	13	36	w * 0 0	2	Accent

<sup>\*</sup>Price Schedule "L"-All others Schedule "F"

All fixtures wired and individually packed.

THE EARLWOOD SERIES consists of a group of three practical fixtures designed in the modern feeling. The fixtures are of the Indirect type, but so arranged as to give unusual decorative charm to the pieces when lighted. No. 761 is designed for permanent installation, while No. 762 Bracket is of the portable "Hang-Up type, supplied with 7-feet of approved rubber cord and plug. Can be instantly hung wherever wanted and plugged into nearest convenience outlet.

EASE



FOR

#### THE FLEETWOOD SERIES

FINISHES: New Crackle Ivory & Gold; Mat Aluminum, high-lighted.

(When ordering be sure to specify finish wanted.)



Catalog Number	Style	Capacity	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
730	1-Light Screw-in Adapter	100 or 150-watts	13	11	****	4	Abduct
731	1-Light Suspender	100 or 150-watts	13	13	****	4	Abide
732	1-Light Close Ceiling	100 or 150-watts	. 13	13	****	4	Ability
734	1-Light Pendant	100 or 150-watts	13	36	****	2	Able
733	1-Light Wall Bracket	100 or 150-watts	10	11	10	4	
735*	1-Light Portable Hang-up	100 or 150-watts	10	11	10	4	Abroad Abode

\*Price Schedule "L"—All others Schedule "F" All fixtures wired and individually packed.

THE FLEETWOOD SERIES is designed for simplicity and dignified beauty along classical modern lines. The body shape consists of two tapering Louvres. The upper Louvre is of proper proportions and shape to cause the light to be thrown against the ceiling and be deflected from it, giving the room a soft and effective lighting for eye comfort. The lower Louvre is designed to deflect some light against the fixture body, giving it a charming luminous effect. The bottom Louvre permits of easy relamping and cleaning. The simplicity of the FLEETWOOD SERIES design lends itself to the Mat Aluminum finish. This is ideal for ultra modern interiors. For homes where a little more warmth in decoration is desired, the New Crackle Ivory finish with Gold Trim adds much to the unusual beauty of this series.

#### THE DALWOOD SERIES

FINISHES: Bright Bronze and Gold; Crackle Ivory and Gold; Mat Aluminum; high-lighted. (When ordering be sure to specify finish wanted.)



Catalog Number	s	tyle	Capacity	Spread Inches	Length Inches	Standard Package	Code
740	1-Light	Fixture Screw-in Adapter	Up to 200-watts	13	12	4	About
741	1-Light	Fixture Suspender	Up to 200-watts	13	13	4	Above
742	1-Light	Fixture	Up to 200 watts	13	15	4	Abreast
744	1-Light	Drop Fixture	Up to 200-watts	13	36	4	Abrupt

All fixtures wired and individually packed.


All Fixtures, Price Schedule "F"

THE DALWOOD SERIES is the modern expression of grace and symmetry. The shape is of scientific design to permit the most efficient output of light for eye-comfort. The lower Louvre permits light to be deflected against the outer surface of the fixture, giving the effect of a very welcome glow. The finial is of pastel tint glass, and the stars are accents of beauty. The light source is completely concealed in accordance with the latest practice of illuminating engineering. These shapely fixtures may be obtained in three very beautiful finishes. The New Crackle Ivory is a charming finish created in our own studios.

#### THE REXWOOD SERIES

FINISHES: Mat Aluminum high-lighted; New Crackle Ivory and Gold;
Bronze and Gold Trim.

(When ordering be sure to specify finish wanted.)



Catalog Number	Style	Capacity	Spread Inches	Length Inches	Extension Inches	Standare Package	
750	1-Light Screw-in Adapter	Up to 200-watts	13	12 1/4	Anches	A	Code Absent
751	1-Light Fixture	Up to 200-watts	13	11 1/4		4	Absolve
752	1-Light Close Ceiling	Up to 200-watts	13	15	****	4	Absorb
754	1-Light Pendant Drop	Up to 200-watts	13	36	****	4	Abut
753	1-Light Wall Bracket	Up to 100-watts	12	10	12	A	Abuse
755*	1-Light Portable "Hang-Up"	Up to 100-watts	12	10	12	A	Abyss
*Pric	e Schedule "L"-All others Se	chedule "F"	All			ividually	
Pric	e Schedule "L"—All others Sc	chedule "F"	All	fixtures wired	and ind	ividually	packed.


THE REXWOOD SERIES is built along the same graceful and pleasant proportions as the Dalwood Series, but has a beautiful glass bottom instead of bottom Louvre. This Series is designed to satisfy the desire for more briliance in the decorative scheme of lighting. The scientific shape of the body bowl permits the best distribution of light while the bottom glass gives a semi-indirect lighting effect. The bottom glass permits easy relamping. Made in three fine finishes, giving this Series a wide range of usefulness and will adapt itself to many types of interior decoration. Bottom glass furnished to match finish of fixture. The brackets are I. E. S. type and are furnished with the new unbreakable "Textolite" reflectors and beautiful parchment shades. No. 755 Bracket furnished with 7-feet of approved rubber cord and plug.



#### THE LARCHMONT SERIES

FINISH: Rich Bronze Hand Antiqued.

Champaign Glass with motif to harmonize with metal parts.



Catalog Number	Style	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
7800	Beam Light	6	4 1/2	****	6	Lead
7801	1-Light Bracket	6 ½	10 1/2	4 1/2	6	Leader
7805	5-Light Semi-Ceiling	20	17	****	3	Leaf
7806	5-Light Drop	20	36		3	Leaflet

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

THE LARCHMONT SERIES is a very effective and efficient glass shaded light line of excellent design. The glass members are rich in tone and set the fixture body off in brilliant relief. These fixtures are made of "Duralite," a cast metal, light in weight, strong and durable.

EYE

EASE



FOR

#### THE MAJESTIC SERIES

FINISH: Two-Tone Bronze in Basic Color with high-lights and ornaments in Old Gold.

Glass Shades of Delicate Honey Tint.



Catalog Number	Style	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
8050	1-Light Beam	6	4		6	Helve
8051	1-Light Bracket	5 ½	9 1/2	7	6	Helved
8055	5-Light Ceiling	18	18		4	Helving
8056	5-Light Drop	18	36		4	Hem
8070	1-Light Dome	18	5 ½		6	Hemp

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

THE MAJESTIC SERIES: A moderately priced Series of shaded lights designed to create interest and attention. Gracefully proportioned outline and delicate ornamentation. Made of Duralite cast metal, light weight and durable. All fixtures on this page are wired complete and include glass.

#### THE MAYFAIR SERIES

FINISH: Rich Bronze high-lighted and Antiqued.
Glass Shades of delicate Honey Tint.



Catalog Number	Style	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
7100	1-Light Dome	8	5 ½	****	6	Mace
7101	1-Light Bracket	5	11	6	6	Mad
7115	5-Light Ceiling	18	16		3	Madras
7116	5-Light Drop	18	36	4400	3	Madam

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

THE MAYFAIR SERIES will go well with either modern or conventional type rooms. The rich character and graceful outlines of this Series is enhanced by the beautiful lily-cupped glass shades. This shaded line should prove very popular. The fixtures are made of Duralite c ast metal, light weight and durable.

MAXIMUM EYE COMFORT, SATISFYING BEAUTY AT MINIMUM COST.

NEEDS


MODERN



#### THE OLD COLONY SERIES

FINISH: Light Pewter with Trimmings in Old Brass.

A combination both appropriate and effective.



Catalog Number 8100 8101 8110 8111 8112 8123 8125 8133	Style Beam Light 1-Light Drop 1-Light Semi-Ceiling (Similar to No. 8101) 1-Light Bracket 2-Light Bracket 3-Light Semi-Ceiling 5-Light Semi-Ceiling (Similar to No. 8123) 3-Light Drop (Similar to No. 8135)	Spread Inches 6 ½ 7 7 5 ½ 8 ½ 15 18	Length Inches 5 36 13 10 10 14 14 36	Extension Inches  6 6	Standard Package 6 3 6 6 6 4 4	Code Fade Falter Fame Fagot Fain Faint Fair
8135	5-Light Drop (Similar to No. 8135)	18	36 3 <b>6</b>	****	4	Faith Falcon

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

The inspiration for the design of THE OLD COLONY SERIES has been drawn from the beautiful specimens of the Early American metal craftsmen. These pieces will bring the splendid taste of our forebears to the modern residence, at low cost The lighting effects of these fix tures are very pleasing.

MODERN



#### "DINALITES" AND "DINETALITES"

#### RETTER LIGHT FOR



The "Dinalite" is extremely effective in styling and much more efficient than the stereotyped fivelight fixture in common use.

Maximum eye comfort, great flexibility of lighting intensity, satisfying beauty, minimum cost.

#### DIAGRAM SHOWING IMPORTANT FEATURES OF THE "DINALITE"


- A. Glass diffuser of approved type designed to conform with Better-Light principles, giving glareless, shadowless light.
- B. The new three-way two filament bulb, 100/200/300 watts at turn of switch.
- C. White inner lining of shade reflects light giving proper distribution.
- D. Beautiful and decorative shade lends charm and character to the room.
- E. New three-way Mogul socket receiving lamp (B).
- F. Fixture supported by attractive and well-styled pendant.
- G. Three-way switch conveniently located. 100/200/300 watts at turn of switch.

# The "DINALITE"

by Frankelite

Here is a Sight Saving Light embodying the latest features known to illuminating engineering, and is beautifully styled.

By a mere turn of the switch you can obtain an intensity of 100-200-300 watts. The 100 watt intensity gives a very satisfactory and pleasing light for ordinary use. The 200 watt intensity is very effective for dinner parties or gatherings where a more brilliant lighting is desirable. The 300 watt intensity adds great cheer to the room and a delightful appearance to the holiday table setting; in addition, it is most efficient for close work or study.



MAXIMUM EYE COMFORT, GREAT FLEXIBILITY OF LIGHTING INTENSITY SATISFYING BEAUTY AT MINIMUM COST.

Especially for

DINING ROOMS

DINETTES

LIBRARIES

HALLS- -STUDIES



#### BETTER LIGHT FOR BETTER SIGHT






Especially for

DINING ROOMS DINETTES LIBRARIES

NURSERIES

BEDROOMS

HALLS



DINETALITE

by Frankelite

THE DINETALITE

No. 610

Finishes: New Ivory with Gold trim.

Parchette neatly Shade:

decorated.

Length: 42" overall. Diameter of Shade: 14"

Code; Dais

The above illustration shows the charm and beauty of the "Dinetalite" in a modern small dining room or dinette.

For the breakfast nook, kitchenette, dining alcoves, nurseries, bedrooms, and other of the smaller rooms.

The artistic treatment and finish is so styled as to blend harmoniously with most interiors in modern and conventional types.

#### DIAGRAM SHOWING IMPORTANT FEATURES OF THE "DINETALITE"

- A. Inner glass diffuser, shape designed to conform with Better-Light principles, enclosing bulb (B), giving glareless, shadowless light.
- B. For highest efficiency use 150 watt bulb May also be used with other wattages, if desired.
- C. Inner lining specially treated to properly reflect and distribute light.
- 1). Outer shade of Parchette in neat, attractive design, lending charm to the room.
- E. Porcelain socket, medium base.
- F. Screws on fitter holds glass diffuser (A) in proper position and supports outer shade
- G. Pendant support of attractive and charming



All fixtures wired and individually packed. Price Schedule "F"

MODERN



#### THE PURITAN SERIES

FINISHES: Ivory and Gold, also Maple and Gold.

(When ordering be sure to specify finish wanted.)



Catalog Number	Style	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
6040	Beamlite	7 1/2	5	****	6	Achieve
6041	1-Light Bracket	6	5	7	4	Ache
	1-Light Bracket with "Textolite" Shade	6	5	7	4	Aching
6042	2-Light Fixture (Similar to 6043)	12	5	****	4	Acid
6043	3-Light Fixture	12	5		4	Acidify
		141/2	5		2	Acidity
6045	5-Light Fixture	1 3 /2				

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

A very simple and charming series at low cost, well designed and beautifully finished in two appropriate finishes. These fixtures are suitable for bedrooms, halls, nooks and other rooms. The shade for the bracket No. 6041-S is made of the new scientific "Textolite" unbreakable material. It is washable, rich in appearance and the shade furnished in White and Ivory.

These fixtures finished in Maple go exceptionally well with Maple furniture and Maple trim. The finish is outstanding and very popular.



#### THE TRAYMORE SERIES

Finishes: Ivory Pastel; also Antique Gold with touches of color.

(When ordering be sure to specify finish wanted.)



Catalog Number	Style	Spread Inches	Length Inches	Extension Inches	Standard	
8540	Beam Light			inches	Package	Code
		9	4 1/2	****	6	Dab
8542	2-Light Flush Ceiling	12x6	4 1/2	****	6	Dabber
8543	3-Light Flush Ceiling	12	5 1/2		6	Dabbing
8545	5-Light Flush Ceiling	16	5 1/2	****		0
1976				****	6	Dabble
	1-Light Wall Bracket Drop	4 1/2	9 1/2	3 3/4	6	Dad
1977	1-Light Wall Bracket Candle	4 ½	9 1/2	3 3/4	6	Dado
	All fixtures wired and individually packed.		All F	ixtures. Pr	ice Schedule	(Fr)

THE TRAYMORE SERIES consists of a group of very beautiful Flush-Type ceiling fixtures suitable for bedrooms, halls, nooks and smaller rooms. The relief modeling on these is in the French style, highly decorative and pleasing. The lacy outline of these fixtures lends interest to the line.

The Wall Brackets shown above may be used in conjunction with the TRAYMORE Series or as separate pieces.


This Series is especially appropriate for Electrification P rojects.

MODERN



#### THE FERNWOOD SERIES

FINISH: Dark Bronze Relieved with Touches of Color and Antiqued.



Catalog Number 6851 6852 6853 6854 6855	Style  1-Light Bracket  2-Light Bracekt  3-Light Ceiling  3-Light Drop (Similar to No. 6856)  5-Light Ceiling	Spread Inches 4 ½ 8 ½ 14 14	Length Inches 11 11 11 36 11	Extension Inches 5 5	Standard Package 6 4 3 3	Code Header Heading Heady Heal Healed
6855 6856	5-Light Ceiling 5-Light Drop	19 19	36	***	6	Healing
	5-Light Candle Drop	19	36	0000	6	Healer

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"


THE FERNWOOD SERIES has for its motif a charmingly designed floral and leaf effect, well modeled and finely outlined. The fixtures are liberal in size but delicate in its lacy design. Fixtures are made of "Duralite" cast metal, light weight and durable.

SATISFYING BEAUTY AT MINIMUM COST.



#### THE REGENT SERIES

FINISH: Browntone High-Lighted with Gold.



Catalog Number	Style	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
6051	1-Light Candle Bracket	4	6	4 1/2	6	Harry
6054	3-Light Drop	15	36	****	4	Hart
6055	5-Light Ceiling	18	12	****	4	Hash
6056	5-Light Drop	18	36		6	Haste
6060	1-Light Drop Bracket	4	6	4 1/2	6	Hatch
6068	4-Light Drop	18	36	****	6	Hatchet
6071	1-Light Drop	5 ½	33	****	16	Haul
6072	2-Light Drop	14	36	****	4	Have

All fixtures wired with Key Sockets; and individually packed.


All Fixtures, Price Schedule "F"

THE REGENT SERIES has proven to be a popular line and is made complete in types for every residential need. An excellent line for rural electrification projects.

#### **MINERVA**



FINISH: Bronze Base Enlivened with Touches of Color and Antiqued.



Catalog Number	Style	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
2700	1-Light Beam	5 1/2	3 1/2	****	6	Cube
2701	1-Light Bracket	4	11	6	6	Cubic
2702	2-Light Bracket	10	11	6	4	Cuff
2703	3-Light Ceiling	13	12	****	3	Cult
2704	3-Light Drop	13	36	****	3	Cumber
2705	5-Light Ceiling	16	10	***	4	Curic
2706	5-Light Drop	16	36		6	Curt
2707	5-Light Candle Drop	16	36	p * * p	4	Custom
2712	2-Light Ceiling	13	12	*	3	Cut
2722	2-Light Drop	13	36		3	Cycle
2732	2-Light Flush Ceiling	13	5		6	Curate
2733	3-Light Flush Ceiling	13	5	***	4	Current

All fixtures wired and individually packed.


All Fixtures, Price Schedule "F"

THE MINERVA SERIES is a well designed and beautifully modeled line, made in a complete range of types for every residential need, at moderate price. This line is especially adaptable to rural electrification projects.



#### SERIES ANDOVER


FINISH: Browntone Antiqued and Enlivened with Touches of Color.



Catalog Number		Spread Inches	Length Inches	Extension Inches	Standard Package	Code
7250	1-Light Beam	5 1/2	3 1/2	****	6	Heaving
7251	1-Light Bracket	4 1/2	11	5	6	Heavy
7252	2-Light Bracket	9 1/2	11	5	6	Hectic
7253	3-Light Ceiling	12	11		3	Hector
7254	3-Light Drop	12	36		3	Heddle
7255	5-Light Ceiling (Similar to No. 7253)	151/4	11		6	Hedge
7256	5-Light Drop	15 1/2	36	****	6	Heed
7257	5-Light Candle Drop	151/4	36	****	4	Heel
7265	5-Light Flush Ceiling	15 1/4	3	****	6	Heft
	All fixtures wired and individually packed.		All F	Cixtures Pr	rice Schedule	(CD)

#### THE REGAL SERIES

FINISH: Rich Gold Antiqued with Delicate Shades of Russet Brown.



Catalog Number	Style	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
6511	1-Light Bracket	4	11	6	12	Badge
6512	2-Light Bracket	10	11	6	6	Badger
6513	3-Light Ceiling	13	11		2	Backer
6514	3-Light Drop (Similar to No. 6516)	13	36		6	Back
6515	5-Light Ceiling	16	11	****	4	Babe
6516	5-Light Drop	16	36		6	Babel

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

THE REGAL SERIES is an economical, well built and beautifully designed line, charmingly ornamented with graceful modeling and appropriate finish. This line has won much favor on account of its beauty and low price.

Very popular on rural electrification projects.

SATISFYING BEAUTY AT MINIMUM COST.

EQUIPMENT

NEEDS

MODERN

#### THE DANBURY SERIES

FINISHES: Crackle Ivory and Gold; Crackle Green and Gold; Crackle Rose and Gold.

(When ordering be sure to specify finish wanted.)



Catalog Number	Style	Capacity	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
720	1-Light Screw-in Adapter	75 to 150-watts	9 %	10	••••	4	Abate
721	1-Light Fixture	75 to 150-watts	9 %	11	****	4	Abbey
722	1-Light Close Ceiling	75 to 150-watts	9 %	13	****	4	Abbot
771	1-Light Wall Bracket	25 to 75-watts	6	8	7	4	Accept
6041-S	1-Light Bracket with "Texte	olite" Shade	6	5	7	4	Aching
A	All fixtures wired and individ	ually packed.		AHE	Civtures D	riae Sahadul	0


THE DANBURY SERIES represents a group of modern indirect-light bedroom units of unusual design and charm. These units are made in crackle finishes, a new development of the Frankelite Studios, and in a range of colors most appropriate to the color scheme of modern bedrooms. The crackle effect of the surface finish combined with high-lighted gold lends a great deal of interest to the fixture. Colors: Ivory, Rose and Green. Be sure to specify color wanted.

The bracket No. 771 is of modern scientific design and is unusually attractive. The shade for the bracket No. 6041-S is made of the new scientific "Textolite" unbreakable material. It is washable, rich in appearance.

## BEDROOM SERIES

## Bedrooms, Halls, Breakfast Nooks, Sun Rooms

FINISHES: Ivory and Browntone High-Lighted (When ordering be sure to specify finish wanted.)



Catalog Number	Style	Glassware	Spread Inches	Length Inches	Standard Package	Code
1022P	1-Light Hanger with Pull Chain	None	2¼" fitter	33	24	Hick
1022B	1-Light Hanger (Bare)	None	2¼" fitter	33	24	Assisted
1022K	1-Light Hanger (Key or Keyless)	None	2¼" fitter	33	24	Hexa
1022-1988	1-Light Hanger Semi-Indirect	Honey	121/2	30	6	Habit
1988	1-Light Semi-Indirect Adapter	Honey	121/2	8	6	Gem
1230	1-Light Semi-Ceiling, Glass Bowl	Honey,	12 ½	10	6	Day
	Jade, Rose	, French Cr				
1231	1-Light Wall Bracket, with Switch	Honey.	$7\frac{1}{2}$	11	6	Daze
1232	1-Light Drop, Glass Bowl	Honey.	7 1/2	21	6	Dazzle
	Jade, Rose	e, French C	rystal			
7101	1-Light Wall Bracket, with Switch	Honey	5	11	6	Mad
8050	Beam Light	None	6	3 3/4	6	Helve
8070	1-Light Dome	Honey	8	5 1/2	6	Hemp

Here is shown a group of miscellaneous occasional axtures suitable for bedrooms, breakfast nooks, sun rooms, halls, nurseries, etc. All of these fixtures include the latest principles of approved lighting with shaded glass of the semi-indirect type.

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

NEEDS




EQUIPMENT

## BEDROOM SERIES

## Bedrooms, Halls, Breakfast Nooks, Sun Rooms

FINISHES: Ivory and Browntone High-Lighted



	Catalog Number	Style	Finish	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
	1012]	2-Light Flush Ceiling	Ivory Poly, only	12 x 6	5 1/2		12	
	1012P	2-Light Flush Ceiling	Ivory Poly, only	12 x 6	5 1/2		12	Adrift
		with Pull Switch			0 /2		12	Ancient
	1013	2-Light Flush Ceiling	Ivory Poly, only	12 x 6	2 1/2		10	
	1013P	Same as 1013 Wired with	Ivory Poly, only	12 x 6		****	12	Fay
	10101	Pull Switch	Ivory I ory, omy	12 X U	2 1/2		12	Sable
-1	099 4711	1 1-Light Pendant Drop	Ivory Poly or		0.0			
	.022-4111.		Browntone	2¼ fitter	33		24	Assist
		With Glass Complete						
	6041-S	1-Light Bracket with "Textol	lite" Shade	6	5	7	4	Aching
		4 7 1 1 1 0 11 D 1 4	T	4				21CHING
	6051	1-Light Candle Bracket	Ivory and Gold or	4	6	4 1/2	6	Harry
		Turn Knob Switch	Browntone					
	6060	1-Light Wall Bracket Drop	Ivory and Gold or	4	6	4 1/2	6	Hatch
		with Key Socket	Browntone			- / 2	•	Haten
	6093	3-Light Flush Ceiling	Ivory and Gold or	12	6 1/2		6	TT1
	0000	o Digito a ration	Browntone		0 /2	••••	0	Hazard


This series shows a very complete group of fixtures at low prices which have proven to be fast selling items. Well adapted to rural electrification and modernizing projects.



## BATHROOM, BEDROOM AND MISCELLANEOUS SERIES

FINISHES: Ivory, Chromium and Polished Aluminum

(When ordering be sure to specify finish wanted.)



Catalog Number	Style		Spread Inches	Length Inches	Extension Inches	Standard Package	Code
656	1-Light for 12" Lumiline, as shown	Ivory or Chrome	2 1/2	131/2	2 1/4	3	Lady
S656	1-Light for 12" Lumiline, with shield	Ivory or Chrome	2 1/2	131/2	2 1/4	3	Ladies
666	1-Light for 12" Lumiline, as shown	Ivory or Pol. Alum.	4	13 1/2	2	3	Lentil
S666	1-Light for 12" Lumiline, with Shield	Ivory or Pol. Alum.	4	13 1/2	3	3	Lesson
670	1-Light for 12" Lumiline, without Shield	Ivory or Pol. Alum.	4 1/2	13 1/2	2	3	Late
S670	1-Light for 12" Lumiline, as shown	Ivory or Pol. Alum.	4 1/2	131/2	3	3	Lately
1989	Beamlight, Wired, Keyless	Ivory or Chrome	5 1/2	3 1/4		12	Dart
1991	1-Light Bracket with Cylinder Glass	Ivory or Pol. Alum.	3	9 1/2	3	6	Dash
1992	2-Light Flush Ceiling	Ivory or Pol. Alum.	9x3	3 1/2		6	Data
4075A	4" Fitter Adaptalite	Ivory or Chrome	4 1/4	3		12	Date
4075-2280	Adapter with Glass Complete	Ivory or Chrome	8 1/4	7		6	Define
6041	1-Light Bracket	Ivory or Chrome	5	5	6	4	Ache

All fixtures wired and individually packed.


All Fixtures, Price Schedule "F"

This group includes unusual, attractive occasional fixtures, suitable for bathroom, bedroom, lavatories, etc. All fixtures are finished in Ivory, also the cast aluminum fixtures are finished in polished aluminum, while the steel fixtures are finished in Chrome. The Lumiline fixtures may be had with or without shield, as shown above.

No. 4075A is an adapter for a 4-inch Fitter which has proven a very fast selling item.

## THE KITCHEN AND

## BATHROOM SERIES



Code: Book 1983P-2079


Catalog Number	Style	Glassware	Spread Inches	Length Inches	Standard Package	Finish	Code
1966-18347	1-Light Bracket, Pull Chain, 24" Fitter	Opal Shade	4 1/2	8 1/4	24	White Enamel Chrome	Haggis Hail
1983P-2079	1-Light Ceiling, Wired, Pull Chain	Opal, Crystal Bottom	8 ½	9	12	White Enamel Chrome	Halloo Halter
1983-2238C	1-Light Ceiling, 4" Fitter	Opal Crystal Bottom	8	9	12	White Enamel Chrome	Hall Halt
1985-2238	1-Light Ceiling, 4" Fitter	Opal Glass	8	9	12	White Enamel Chrome	Halve Hammer
3108	1-Light Ceiling, Wired, Keyless	Complete with 8 ¼ x4 Opal Unit	8 1/4	10	36	White Enamel Chrome	Pace Hank
3108P	1-Light, Wired, with Pull Chain	Complete with 8 1/4 x 4 Opal Unit	81/4	10	36	White Enamel Chrome	Parent Hanker
3109	1-Light, Wired, Keyless with 4 feet of cord, convenience receptacle and switch	Complete with 8¼x4 Opal Unit	81/4	10	36	White Enamel Chrome	Hansom Hap
3110	Better-Sight Kitchen Unit, Two-Piece Glass Unit, Wired, Keyless	Complete with No. 2261-2	12 12	10 10	12 12	White Enamel Chrome	Dare Daring

Here is shown a splendid group of units suitable for kitchens, bathrooms, lavatories and other rooms. Furnished both in White Enamel and Chrome finishes. The units are all of well accepted design and character.

Note: Units shown here assembled complete and listed as shown. For various holders, parts, and glassware see following pages with individual listings.

## THE PORCELAIN SERIES

FINISH: White Porcelain-Vitrified China-Easy to Clean.



Catalog Number	Style	Convenience Outlet	Spread Inches	Length Inches	Standard Package	Code
3600	Beam Light	6000	5	3 1/2	12	Pack
3610	1-Light Bracket with Glass Shade	No Outlet	3 ½	7	12	Pacify
3615	1-Light Bracket with Glass Shade	With Outlet	3 1/2	7	12	Packer
3620	1-Light Wall Bracket	No Outlet	3 1/2	6	12	Pad
3625	1-Light Wall Bracket	With Outlet	3 1/2	6	12	Padder
3630	1-Light Wall Bracket with Glass Shade	No Outlet	3 1/2	5 1/4	12	Pale
3635	1-Light Wall Bracket with Glass Shade	With Outlet	3 1/2	5 1/4	12	Paler
3640	1-Light Wall Bracket with Glass Shade	No Outlet	3 1/2	5 1/4	12	Palm
3645	1-Light Wall Bracket with Glass Shade	With Outlet	3 1/2	5 1/4	12	Palmer
3200	1-Light Bracket	No Outlet	4 1/8	711/4	12	Protest
3205	1-Light Bracket	With Outlet	4 1/8	71/4	12	Propel


All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

THE PORCELAIN SERIES consists of a complete group of wall brackets and ceiling holders, beautifully modeled in the modern manner.

## THE PORCELAIN SERIES

FINISH: Ivory Beautifully Decorated in Colors with Burnished Gold Band



Catalog Number 3650 3651 3652 3653	Style 1-Light Beam Light 1-Light Wall Bracket 2-Light Flush Ceiling 3-Light Flush Ceiling	Spread Inches 6 ½ · 4 ½ 10 x 5 ½ 10 ¼	Length Inches 2 % 6 ½ 4 % 4 4 % 4	Extension Inches	Standard Package 12 12 12 12	Code Paper Par Para Parade
3655	1-Light Wall Bracket with Convenience Outlet (Same as 3651)	4 ½	6 ½	4	12	Parable

This group of Porcelain Fixtures is new and very attractive in design and finish. It is made of fine Vitrified China with beautiful burnished gold rims, and the floral modeling fired in delicate colors, giving unusual richness to the individual piece. These pieces are suitable for bedrooms, sunrooms, breakfast nooks, bathrooms, etc.

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"


## Bathroom and Kitchen Fixtures

Made from Finest Vitrified Porcelain-Easy to keep clean and sparkling

## THE LANTERN SERIES

FINISH: Copper Antiqued Rust-Proof.

Amber crackle glass furnished with all lanterns.



Catalog Number	GL-7	Spread Inches	Length Inches	Extension Inches	Standard Package	Code
	Style	5	12		3	Ruin
220	Ceiling Type			***		
221	Bracket Drop Type	6½ x 4½	10	7	4	Riot
222	Pendant Drop	5	17	90 to to 40	3	Rove
223	Bracket Upright Type	6 ½ x 4 ¼	131/2	7	4	Rob
230	Pendant Drop	6	20	****	3	Feline
231	Bracket Drop Type	4½ x 7½	15	8 1/2	4	Fel
232	Ceiling Type	6	15	***	· 4	Felt
233	Bracket Upright Type	4½ x 7½	15	8 1/2	4	Fellow

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

The group of LANTERN FIXTURES here shown are new and novel in design. The decorative treatment and craftsmanship are unusually attractive. The numbers are made of rigid castings but very light and strong, rust-proof and eduring. The Lanterns are so made that light bulbs are practically theft-proof. All fixtures are furnished with amber crackle glass.



## THE LANTERN SERIES

FINISH: Copper Antiqued Rust-Proof. A

Amber crackle glass furnished with all lanterns except No. 225.



Catalog Number	Style	Spread	Length	Extension	Standard	
		Inches	Inches	Inches	Package	Code
210	Ceiling Type (Canopy 4 ½-in.)	6	10 1/2	****	3	Redeem
211	Bracket Drop Type	6	11	8 1/2	4	Refuge
212	Pendant Drop (Similar to No. 210)	6	18	****	3	Remedy
213	Bracket Upright Type	6	12 1/2	8 1/2	4	Remote
214	Flush Ceiling Type	8 1/2	5 1/2	****	4	Repast
225	Bracket Drop Type	6	10	7	4	Feign
235	2-Light Flush Dome (Bottom Removable)	12	3 1/2	****	4	Feet
215	Ceiling Type	5 1/2	12	***	2	Ruler
216	Bracket Drop Type (Canopy 4½-in.)	5 1/2	12	7	4	Rumor

All Fixtures, Price Schedule "F"

All fixtures wired and individually packed.

The group of LANTERNS here shown are similar in style and construction to the LANTERNS on the preceding page, except Nos. 215 and 216, which are made of copper and furnished with Clear Fresnal Glass. All others furnished with Crackle Amber Glass except No. 225, which is of novel design and does not require any glass. The lanterns shown are wired.

## THE BARRINGTON SERIES

FINISHES: Mat Aluminum High-Lighted Rims; Also Made in Bronze with Gold Rims.

(When ordering be sure to specify finish wanted.)



Catalog Number	Style	Socket Size		Capacity	Spread Inches	Length Inches	Standard Package	Code
932E	1-Light Ceiling Type Indirect	Medium	150 t	to 300-watts	19	16	3	Dally
932	1-Light Ceiling Type Indirect	Mogul	300 t	o 750-watts	19	16	3	Dale
934E	1-Light Drop Type Indirect	Medium	150 t	to 300-watts	19	42	3	Dame
934	1-Light Drop Type Indirect	Mogul	300 t	o 750-watts	19	42	3	Dam
761	1-Light Wall Bracket Indirect	Medium	100 t	to 150-watts	6	11	4	Acacia
					A 13 3731 4	77.	Cl 1 21.	443722

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

THE BARRINGTON SERIES consists of a group of commercial fixtures unsurpassed in style and quality, at extremely low price. The fixtures consist of a series of two gracefully shaped LOUVRES, producing indirect type of lighting in accordance with the latest ideas in illuminating engineering. The Bottom LOUVRE permits an escapage of light which is deflected against the outer surface of the Upper LOUVRE, giving an attractive and luminous effect to the fixtures when lighted. The Lower LOUVRE is of ingenious design permitting easy access for cleaning and lamp replacement. The Gold Stars are accents of beauty.

## THE BURLINGTON SERIES

FINISHES: Mat Aluminum High-Lighted Rims; Also Made in Bronze with Gold Rims.

(When ordering be sure to specify finish wanted.)



Catalog Number	Style	Socket Size		Cap	acity	Spread Inches	Length Inches	Standard Package	Code
942 1-1 944E 1-1 944 1-1	Light Ceiling Semi-Indirect Light Ceiling Semi-Indirect Light Drop Type Semi-Indirect Light Drop Type Semi-Indirect Light Wall Bracket Indirect		300 150 300	to to	300-watts 750-watts 300-watts 750-watts 150-watts	19 19 19 19	18 18 42 42	3 3 3 4	Damper Damp Dancer Dance Abroad

All fixtures wired and individually packed.

All Fixtures, Price Schedule "F"

THE BURLINGTON SERIES is similar in character and in detail to the BARRINGTON SERIES except that the fine decorative detail is accomplished by means of the semi-indirect LOUVRE of unusual character and design,—an original development by the "Frankelite" designers. This Series is gorgeous in appearance yet restrained in its dignified design.

BETTER LIGHT

BETTER SIGHT

MODERN



# MODERNIZER

(Patents Pending)

by Frankelile

TRANSFORMS YOUR OLD, INEFFICIENT LIGHTING SYSTEM INSTANTLY, AT LEAST COST, INTO MODERN, EFFICIENT LIGHTING OF BEAUTY

Important features of the Frankelite "MODERNIZER"



1. No rewiring, no alterations, no muss necessary to make change.

2. High efficiency of output.

3. Glareless, shadowless, light for "Better-Sight".

4. The light source may be easily focused to obtain highest efficiency and even illumination.

5. Easy accessibility for cleaning inside of fixture.

Chain hanger may be instantly adjusted to focus light source. Relamping and cleaning with greatest ease. Just loosen one chain; not necessary to remove fixture.

Latest type of Semi-Indirect lighting fixture gives Even, Glareless, Shadowless Illumination. Beauty and Simplicity.


Beauty, high efficiency, modern, at surprisingly low cost.

#### TWO BEAUTIFUL MODELS AVAILABLE

- 6. Easy means of access for relamping.
- 7. Refined beauty, rythemic proportions.
- 8. Two splendid finishes to select from, Satin Aluminum or Bronze.
- 9. By means of the Frankelite patent Color Segments, charming and varying effects may be readily obtained.
- 10. Merchandise shows up to best advantage with the Frankelite Modernizer Units.

All Fixtures, Price Schedule "F"

This illustration shows the simplicity of the Frankelite "MODERNIZER", and the ease with which it may be installed. The Frankelite "MOD-ERNIZER" adapter. Insert and tighten screws. Simple, Effective, Economical.




43 —


FOR

# The Frankelite

# MODERNIZER



Chain hanger may be instantly adjusted to focus light source. Relamping and cleaning with greatest ease. Just loosen one chain; not necessary to remove



MODERNIZER No. 930 Code; Daisy (Illustrated below)

Diameter: 18" widest part
Height: 12" Modernizer overall
Finishes: Mat aluminum high lighted, or
Rich Bronze with polished rims



All fixtures wired and individually packed.

MODERNIZER No. 940 Code; Dapper (Illustrated above)

Diameter: 18" widest part

Height: 15" Modernizer overall

Finishes: Mat aluminum high lighted Rims, or Rich Bronze with polished rims

Unusual Semi-Indirect bottom with Inverted Louvres, novel and attractive

All Fixtures, Price Schedule "F"

MODERN



## THE LOUVRE SERIES

FINISH: ALUMINUM SATIN FINISH HIGHLIGHTED

All Fixtures, Price Schedule "F"



BALL SWIVEL STEM PENDANT TYPE, NO. 902S MADE ALSO IN CHAIN PENDANT TYPE, AS NO. 902C



CLOSE CEILING TYPE NO. 902N

This graceful and charmingly designed indirect fixture has a series of four Louvres, so arranged as to permit the light to be deflected upwards towards the ceiling giving glareless illumination for eye comfort. A little light is permitted to escape through concealed openings. This escaped light is deflected against the vertical satin finished surfaces, giving the entire fixture a beautiful translucent effect. The interest is further enhanced by the polished rims which enliven the fixture with sparkling highlights.

The charm of the graduated Louvres is accented by a polished crystal ball finial.

These fixtures are suited to lighting larger rooms such as Stores, Offices, Banks, Lobbies, etc. Made only with Mogul Socket, and in three Pendant types: Swivel Stem Pendant type designated 902 S, Chain Pendant type as 902 C, and Close Ceiling type as 902 N.

#### FINISH: ALUMINUM SATIN FINISH HIGHLIGHTED

CAT. NO.	PENDANT TYPE	LENGTH OVERALL	DIAMETER	TYPE	LAMP WATTAGES	CODE WORD
902 S	Ball Swivel Stem	42"	20''	Mogul	500-750-1000	BAG
902 C	Chain	42"	20''	Mogul	500-750-1000	BAGGER
902 N	Close Ceiling	28"	20''	Mogul	500-750-1000	BAGGING



FINISH: ALUMINUM SATIN FINISH HIGHLIGHTED

All Fixtures, Price Schedule "F"



CLOSE CEILING TYPE NO. 901N

In this fixture the same grace and charm as in the larger No. 902 is accomplished by an arrangement of three Louvres. The light is deflected toward the ceiling giving glareless illumination, for eye comfort. The light which is arranged to escape through the concealed spaces between the Louvres is deflected against the satin finished outer walls giving a luminous effect enriched by the highlighted rims. The three Louvres are arranged in rhythmic proportions and punctuated by a polished crystal ball finial.

For use in larger rooms, stores, lobbies, offices, etc., this line is furnished with Mogul socket for 300 or 500 watt lamps; and for smaller rooms, halls, homes, etc. is made with medium socket so that 150, 200 or 300 watt lamps may be used. Be sure to specify type of socket wanted.



CHAIN PENDANT TYPE NO. 901C

MADE ALSO IN SWIVEL STEM PENDANT TYPE AS NO. 901S


The fixtures are furnished with Mogul sockets or with medium sockets. In ordering please be sure to specify type socket wanted. Made in three types of Pendants; Ball Swivel Stem Pendant type designated as 901 S; Chain Pendant type designated as 901 C and in Close Ceiling type as 901 N.


FINISH: ALUMINUM SATIN FINISH HIGHLIGHTED

CAT. NO.	PENDANT TYPE	LENGTH OVERALL	DIAMETER	TYPE SOCKET	LAMP WATTAGES	CODE
901 S	Ball Swivel Stem	36"	16"	Mogul	300-500	BAIL
901 C	Chain	36"	16"	Mogul	300-500	BAILER
901 N	Close Ceiling	26"	16"	Mogul	300-500	BAILING
901 S	Ball Swivel Stem	36"	16"	Medium	150-200-300	BAKE
901 C	Chain	36"	16"	Medium	150-200-300	BAKER
901 N	Close Ceiling	25"	16"	Medium	150-200-300	BAKING

LOUVRE

SERIES





MADE ALSO IN STEM AND CLOSE CEILING TYPE

This modern Louvre fixture is furnished with a frosted glass bottom, making a semi-indirect fixture of unusual beauty. The bottom Louvre has a concealed open space that permits escaping light to deflect against the sweep of the vertical outer wall, the satin finish giving a luminous effect accented by the polished rims. Three brass stars add interest.



CHAIN PENDANT TYPE NO. 903C

This fixture is in all respects like No. 904 except that instead of the glass bottom a closed bottom is arranged to give total indirect lighting. The same smart luminous effect is here had by means of the concealed spaces in the bottom Louvre. Both No. 903 and No. 904 are extremely smart in appearance and will enrich any interior.

No. 903 and No. 904 are furnished with either Mogul or Medium sockets as specified. These fixtures are adapted for the home, office, library, school or modern store rooms. May be had in Ball Swivel Pendant (S) Chain Pendant Type (C) or Close Ceiling Type (N).

CAT. NO.	PENDANT TYPE	LENGTH	DIAMETER	TYPE SOCKET	LAMP WATTAGES	CODE
903 S 903 C 903 N 903 S 903 C 903 N	Ball Swivel Stem Chain Close Ceiling Ball Swivel Stem Chain Close Ceiling	36" 36" 26" 36" 36" 25"	16" 16" 16" 16" 16" 16"	Mogul Mogul Mogul Medium Medium Medium	300-500 300-500 300-500 150-200-300 150-200-300 150-200-300	BANK BANKER BANKING BARK BARKER BARKING
904 S 904 C 904 N 904 S 904 C 904 N	Ball Swivel Stem Chain Close Ceiling Ball Swivel Stem Chain	36" 36" 26" 36" 36" 25"	16" 16" 16" 16" 16" 16"	Mogul Mogul Mogul Medium Medium Medium	300-500 300-500 300-500 150-200-300 150-200-300	BASE BASER BASING BAT BATTER BATTING

All Fixtures, Price Schedule "F"



FINISH: Mat Aluminum High-Lighted Rims;

All Fixtures, Price Schedule "F"



CLOSE CEILING TYPE NO. 910N

With this line of beautiful glass semi-indirect modern fixtures a most pleasant and beautiful illumination may be obtained. The inverted glass bowls are 18" in diameter of heavy glass, neatly ribbed and decorated with a garland of modern leaf motif in relief. When lighted this fixture presents a beautiful luminous effect showing the modeled elements on the glass in delicate shading. The inverted glass bowl is finished in the new honey-glow or the frosted white to harmonize with the aluminum metal fittings.

The pendant, canopy and socket cover with decorative elements are made in satin finish aluminum, highlighted with polished rims. The canopy is studded with brass stars giving a rich contrasting effect.

With the honey-glow glass the fixture gives a warm delicate tinting while when the frosted white glass is used,



CHAIN PENDANT TYPE NO. 910C MADE ALSO IN SWIVEL TYPE AS NO. 9105

with the aluminum fittings, a cooler and harmonious effect is obtained.

This fixture is suited for stores, display rooms, offices, bank rooms, et cetera, of a more elaborate type and is equipped with Mogul socket for use with either 300 or 500 watt lamps. It may be adapted to the larger rooms of homes, libraries and halls for which it is equipped with a medium socket for use with 150, 200 or 300 watt lamps.

Specify No. 910 S for Ball Swivel Stem Pendant and for Chain Pendant type specify 910 C; for Close Ceiling type specify No. 910 N. Be sure to mention type of socket wanted and color of glass inverted bowl. It is furnished in Honey-Glow or Frosted White.

CAT. NO.	PENDANT TYPE	LENGTH OVERALL	DIAMETER	TYPE SOCKET	LAMP WATTAGES	CODE
910 S	Ball Swivel Stem	36"	18"	Mogul	300-500	BEAR
910 C	Chain	36"	18"	Mogul	300-500	BEARER
910 N	Close Ceiling	22"	18"	Mogul	300-500	BEARING
910 S	Ball Swivel Stem	36"	18"	Medium	100-200-300	BEAT
910 N	Chain	36"	18"	Medium	100-200-300	BEATER
910 C	Close Ceiling	22"	18"	Medium	100-200-300	BEATING

FINISH: Mat Aluminum high-lighted;

All Fixtures, Price Schedule "F"



CLOSE CEILING TYPE NO 922N SHOWN MADE IN ALL SIZES

This Total Indirect Series of fixtures is designed for eye comfort. It produces very efficient glareless and shadowless illumination. Made in three bowl sizes-12"-15" and 18" and lamp capacity from 100 to 1000 watts. The No. 920 has 12" diameter bowl and made only with medium socket for 100, 150 or 200 watt lamps. The No. 922 has 15" bowl diameter and may be had with Medium socket for 150, 200 or 300 watt lamps, or Mogul socket for 300 or 500 watt lamps. The largest size is No. 924 with 18" diameter bowl. made with Mogul socket only for 500, 750 or 1000 watt lamps.

All sizes are made in Swivel Stem Pendant (S); Chain Pendant (C) and Close Ceiling (N) types. Be sure to specify pendant and socket types wanted.

All fixtures are made of aluminum satin finish with polished highlighted bands. Six brass stars are so placed as to add interest to the design and strength to the supports.

The canopies are designed to harmonize with the bodies and are set with smaller brass stars.



CHAIN PENDANT TYPE NO. 924C MADE ALSO IN SWIVEL STEM PENDANT TYPE ALL SIZES

These fixtures are furnished in three sizes-12"-15"-18" diameter bowl, and in three types of pendants. Be sure to specify pendant type and socket wanted.

CAT. NO.	PENDANT TYPE	LENGTH	DIAMETER	TYPE SOCKET	LAMP WATTAGES	CODE
920 S 920 C 920 N	Ball Swivel Stem Chain Close Ceiling	36" 36" 20"	12" 12" 12"	Medium Medium Medium	100-150-200 100-150-200 100-150-200	BENDER BENDING
922 S	Ball Swivel Stem	36"	15"	Medium	150-200-300	BET BETTER BETTING BILL BILLER BILLING
922 C	Chain	36"	15"	Medium	150-200-300	
922 N	Close Ceiling	22"	15"	Medium	150-200-300	
922 S	Ball Swivel Stem	36"	15"	Mogul	300-500	
922 C	Chain	36"	15"	Mogul	300-500	
922 N	Close Ceiling	22"	15"	Mogul	300-500	
924 S	Ball Swivel Stem	36"	18"	Mogul	500-750-1000	BIND
924 C	Chain	36"	18"	Mogul	500-750-1000	BINDER
924 N	Close Ceiling	24"	18"	Mogul	500-750-1000	BINDING

FINISH: Mat Aluminum High-Lighted Rims;

All Fixtures, Price Schedule "F"



BALL SWIVEL PENDANT TYPE NO. 923S MADE ALSO IN CHAIN PENDANT TYPE AS NO. 923C



CLOSE CEILING TYPE NO. 923N

This fixture is similar to the total indirect fixture No. 922 except that it is furnished with an etched glass bottom of neat design making a unique semi-indirect unit, giving a uniform glareless illumination for eye comfort. The bottom glass member adds much to the decorative quality of the fixture.

Six brass stars add to the interest of the design and strengthen supporting members. Finished in satin aluminum with polished highlighted bands. The canopy is designed in harmony with the body of the fixture and is studded with brass stars of smaller size.

Suitable for stores, offices, lobbies, et cetera; equipped with Mogul socket for use with 300 or 500 watt lamps. For smaller rooms and homes this group of fixtures is equipped with a medium socket for use with 150, 200 or 300 watt lamps.

Specify No. 923 S for Ball Swivel Stem type; for Chain Pendant type specify No. 923 C and for Close Ceiling type specify No. 923 N. Be sure to state type of socket wanted.

CAT. NO.	PENDANT TYPE	LENGTH OVERALL	DIAMETER	TYPE SOCKET	LAMP WATTAGES	CODE
923 S	Ball Swivel Stem	36"	15"	Mogul	300-500	BATH BATHER BATHING BEAD BEADER BEADING
923 C	Chain	36"	15"	Mogul	300-500	
923 N	Close Ceiling	22"	15"	Mogul	300-500	
923 S	Ball Swivel Stem	36"	15"	Medium	100-200-300	
923 C	Chain	36"	15"	Medium	100-200-300	
923 N	Close Ceiling	22"	15"	Medium	100-200-300	

## FLOODLIGHTS AND CONCENTRATOR

FOR STORE, OFFICE AND GENERAL COMMERCIAL LIGHTING



Adjustable, weatherproof, for general purpose outdoor floodlighting, made of aluminum. Designed for use with 200-watt bulb. It is equipped with stippled crystal lens, 3 ft. rubber-covered weatherproof cord. An economical 200-watt unit for lighting parking areas, driveways, roadside stands, small signs, etc. Finished in red.

Packed individually, 3 to a unit

Code: Sentry

No. 487 PENDANT CONCENTRATOR

THE PENDANT CONCENTRATOR is designed to be used in store interiors over glass show cases or counters where merchandise is to be displayed to advantage. It is equipped with a stippled crystal lens which gives highest efficiency. 100-watt Standard or Daylight bulbs may be used.

Economical-Beautiful-Efficient


FINISH: Bronze. Diameter 9 1/2-inches, Length 42-inches. Code: Signet

THE PENDANT CONCENTRATOR is adaptable for use over desks, work benches and drafting tables.



Face 6" x 12" Depth 3" Black Finish Height of letters 5" Packed individually, 4 to a unit

Bare: Code: Retreat





Red, Green, Blue and Amber. Packed individually, 3 to a unit.

Code: Search

Wired, 6 ft. cord

No. 3090-5

Iron Flush Exit Depth 3" Insert Box 6" x 12" Face 8" x 14" Height of Letters 5" Black Finish Packed individually, 3 to a unit Code: Revoke Bare:



## PROTECT YOUR EYES AND DO BETTER WORK WITH FRANKELITE "OFFICE LAMPS"



#### MODEL No. 4149

Finish: Statuary Bronze Conventional Design Height: 63" Reflector: 13" \*Price Schedule "L" Individually Packed Code: Official

#### READY MARKET

for

#### FRANKELITE "OFFICE LAMPS"

Many offices have antiquated lighting systems. In most cases the drop type glass bowl is quite unsatisfactory. The intensity at the desk or working surface is inadequate and the glare nerve racking.

The FRANKELITE OFFICE LAMP is designed for private offices, show rooms, etc., etc., to supply a supplementary light scientifically correct, at little cost, without the inconvenience of rewiring.

#### MODERN SCIENTIFIC INDIRECT LIGHT.

THREE INTENSITIES WITH ONE BULB AND ONE SWITCH.

TAKES TWO-FILAMENT LAMP, 150/200/350 TYPE PS-35, OR 200/300/500 TYPE PS-40.

#### MODEL No. 4179

Finish: Bronze and Gold Dignified Modern Height: 63" Reflector: 13" \*Price Schedule "L" Individually Packed Code: Offer



TRANSFORMS YOUR OLD, INEFFICIENT LIGHTING SYSTEM INSTANTLY, AT LEAST COST, INTO MODERN, EFFICIENT LIGHTING OF BEAUTY

## THE DESKALITE UNIVERSAL MODEL No. 400

Clamp-on type "BETTER-SIGHT" lamp which may be easily adjusted up or down, in or out or maybe swung around to any position to do best work.



# MODEL No. 400 Universal Adjustments Finish: Statuary Bronze Shade: Parchette 8" x 14" 8" Diffuser: Unbreakable "Textolite" \*Price Schedule "L" Packed individually. Code: Officer

Copyright 1936 Frankelite Company

- H Small thumbscrew will hold "DESKALITE" in any horizontal position.
- J Collar and screw for fixing "DESKALITE" in any position up or down.
- K Showing "DESKALITE" may be used at any desired height above desk or table to suit personality of user.
- L Showing that "DESKALITE" may be adjusted—"in or out" by telescoping arrangement, for the particular work to be done.
- M Extra length approved wire cord. Just plug "DESKALITE" into nearest convenience outlet.



#### THE DESKALITE STANDARD MODEL No. 405


Clamp-on type better sight lamp standard 28" height adjustable to any horizontal position.

IDEAL FOR:-Banks Commercial Offices Drafting Rooms Architects and Engineers Factories Private Offices Industrial Offices Hospitals Hotels Public Libraries Private Libraries Schools and Colleges Homes Etc., - Etc., -




## DIAGRAM SHOWING IMPORTANT FEATURES OF THE "DESKALITE"

- A Unbreakable opal Diffuser, giving maximum efficiency: gives glareless shadowless light.
- B 100 watt lamp gives high foot-candle reading. For special work a 150 watt may be used.
- C Outer shade correct shape with white inner lining for maximum reflection.
- D Outer surface beautifully finished in Statuary Bronze: gives minimum brightness.
- E Approved push-thru switch conveniently located
- F Cast Aluminum Bracket-Clamp permits full use of entire working surface of desk or table
- G Thumbscrew easily fastens Bracket-Clamp to desk or table.
- H Small thumbscrew will hold "DESKALITE" in any horizontal position.
- M Extra length approved wire cord. Just plug "DESKALITE" into nearest convenience outlet.



## THE "CONCENTRATOR" UNIVERSAL MODEL No. 410

Clamp-on type special duty lamp — easily adjusted to any position. For efficient lighting on intricate work, protects your eyes, relieves strain.



MODEL No. 410 "Concentrator" Universal Adjustments Finish: Statuary Bronze 10" Special Diffuser Lenz \*Price Schedule "L" Packed Individually. Code: Optical

The "CONCENTRATOR" is ideal for:-Typewriters, Adding Machines, Drafting Tables, Work Benches, Desks and Tables. Adjustable in every conceivable position.

Copyright 1936 Frankelite Company




DIAGRAM SHOWING IMPORTANT FEATURES OF THE "CONCENTRATOR"

- A Large Special Diffusing Lenz, gives high intensity glareless light.
- 100-watt mazda gives excellent results. May also be used with "Daylight" lamp for color work.
- Metal reflector of scientific shape. Inner surface treated to give highest reflection.
- D Outer surface finished in Bronze, shields the eyes and relieves strain.
- E Approved turn-knob switch conveniently located.
- F Cast Aluminum Bracket-Clamp permits full use of entire working surface of desk or table.
- G Thumbscrew easily fastens Bracket-Clamp to desk or table.
- H Small thumbscrew will hold "CONCENTRATOR" in any horizontal position.
- J Collar and screw for fixing "CONCENTRATOR" in any position up or down.
- K Showing "CONCENTRATOR" may be used at any desired height above desk or table to suit personality of user.
- L Showing that "CONCENTRATOR" may be adjusted—"in or out" by telescoping arrangement, for the particular work to be done
- M Extra length approved wire cord. Just plug "CONCENinto nearest convenience outlet


EYE

#### THE "CONCENTRATOR" STANDARD MODEL No. 415

Clamp-on type, special duty lamp height 28" easily adjusted to any horizontal position. For efficient lighting on intricate work, protects your eyes, relieves strain.



IDEAL FOR:-Artists and Designers Architects Accountants Doctors and Dentists Draftsmen and Engineers Dress Makers Diamond Setters Engravers and Jewelers Instrument Makers Printers and Offset Plate Finishers Model Makers Opticians Tool Makers Etc., Etc.



#### DIAGRAM SHOWING IMPORTANT FEATURES OF THE "CONCENTRATOR"


- A Large Special Diffusing Lenz, gives high intensity glareless light.
- B 100-watt mazda gives excellent results. May also be used with "Daylight" lamp for color work.
- C Metal reflector of scientific shape. Inner surface treated to give highest reflection.
- D Outer surface finished in Bronze, shields the eyes and relieves strain.
- E Approved turn-knob switch conveniently located.
- F Cast Aluminum Bracket-Clamp permits full use of entire working surface of desk or table.
- G Thumbscrew easily fastens Bracket-Clamp to desk or table.
- Small thumbscrew will hold "CONCENTRATOR" in any horizontal position.
- Extra length approved wire cord. Just plug "CONCENTRATOR" into nearest convenience outlet.

MODEL No. 415 "Concentrator"
Height: 28" — Horizontal Horizontal Adjustment Finish: Statuary Bronze 10" Special Diffuser Lenz \*Price Schedule "L" Packed Individualy. Code: Optic




## THE "LUMILINE" SERIES

Suitable for homes, offices, stores, lobbies, cafeterias, theatres, night clubs, churches, concert halls, display rooms, ceilings, walls, beams, pilasters, etc.



Obtainable for 12" and 18" size lumiline lamps, in a variety of shapes in polished cast aluminum and heavy steel chromium plated.







Here is illustrated a variety of shapes showing photographs and cross sections of Frankelite "LUMILINE FIXTURES."

inductive a variety of shapes showing photographs and cross sections of Frankente LUMILINE FIXTU											
	LIST and CATALOG NUMBERS OF FRANKELITE LUMILINE FIXTURES										
Shape	For	For 12" Lumiline Lamps 40 Watts  For 18" Lumiline Lamps 30, 60 Watts				Finish					
	With Switch	Portable Hang-Up	Without Switch	With Switch	Portable Hang-Up	Without Switch					
A	670	671	672	673	674	675	Polished Aluminum				
В	666		667	668		669	Polished Aluminum				
В	666		667	668		669	Ivory				
С	660	661	662	663	664	665	Chrome				
D	650		651	653		654	Chrome				
E	656		657	658		659	Chrome				

The above illustrations show all "LUMILINES" in 12" size. Obtainable also in 18" size, with or without switch, and in Portable Hang-Up type, as shown in table on this page. Any of the lumiline fixtures may be had with the Frankelite "LUMILINE SHIELD." If shield is wanted, add the letter "S" in front of catalog number of any fixture.





The above sketches merely show suggested arrangements, and cannot adequately represent the beauty of these well-styled fixtures in combinations with unlimited array of color effects, obtainable with the "LUMILINE" lamps themselves. Here is shown what may be accomplished by the unusually complete and comprehensive line developed by FRANKELITE. It offers the greatest possibility for economical and effective decoration and variety.

Never before has there been such an ingenious device for enriching the interiors of public places, as is offered by the FRANKELITE "LUMI-LINE" fixture system.

The details have been very carefully worked out to satisfy the requirements of the owner, the illuminating engineer, the architect, and the interior decorator.

## THE "LUMILINE" SERIES

## FINISH: Chrome on Heavy Polished Steel Body

Catalog		Spread	Length	T74 1			
Number	Style	Inches	Inches	Extension	LAMP	SIZE	Code
650	With Switch	3%	13 1/2	21/4	12	40	Labor
S650	With Switch and Shield	3%	13 1/2	3 1/4	12	40	Laborer
651	Without Switch	3 %	13 1/2	21/4	12	40	Lack
S651	With Shield, Without Switch	3 3/8	13 1/2	3 1/4	12	40	Lacking
653	With Switch	3 %	19 1/2	21/4	18	30-60	Lad
S653	With Switch and Shield	3 3/8	191/2	31/4	18	30-60	Ladder
654	Without Switch	3 %	19 1/2	21/4	18	30-60	Lade
S654	With Shield, Without Switch	3 %	19 1/2	3 1/4	18	30-60	Ladle
656	With Switch	2 1/2	131/2	21/4	12	40	Lady
S656	With Switch and Shield	2 1/2	13 1/2	31/4	12	40	Ladies
657	Without Switch	2 1/2	131/2	21/4	12	40	Laid
S657	With Shield, Without Switch	2 1/2	131/2	3 1/4	12	40	Lain
658	With Switch	21/2	19 1/2	21/4	18	30-60	Lair
S658	With Switch and Shield	2 1/2	19 1/2	3 1/4	18	30-60	Laity
659	Without Switch	21/2	19 1/2	21/4	18	30-60	Lamb
S659	With Shield, Without Switch	2 1/2	19 1/2	3 1/4	18	30-60	Lambkin
660	With Switch	3 1/2	13 1/2	2 1/2	12	40	Lame
S660	With Switch and Shield	3 1/2	13 1/2	3 1/2	12	40	Lament
661	Portable Hang-Up Type	3 1/2	131/2	2 1/2	12	40	Lancer
S661	Portable Hang-Up Type and Shield	3 1/2	13 1/2	3 1/2	12	40	Lancet
662	Without Switch	3 1/2	13 1/2	2 1/2	12	40	Lane
S662	With Shield, Without Switch	3 1/2	13 1/2	3 1/2	12	40	Lank
663	With Switch	3 1/2	19 1/2	2 1/2	18	30-60	Lanky
S663	With Switch and Shield	3 1/2	19 1/2	3 1/2	18	30-60	Lapel
664	Portable Hang-Up Type	3 1/2	19 1/2	2 1/2	18	30-60	Lapse
S664	Portable Hang-Up Type and Switch	3 1/2	19 1/2	3 1/2	18	30-60	Lard
665	Without Switch	3 1/2	19 1/2	21/2	18	30-60	Large
S665	With Shield, Without Switch	3 1/2	19 1/2	3 1/2	18	30-60	Lariat

All NUMBERS Shown On This Page Individually Packed, Standard Package 3, Price Schedule "F"

The Following "Lumilines" Made of Pure Cast Aluminum.

FINISH: Polished Aluminum, also Ivory

(When ordering be sure to specify finish wanted.)

Style									
666 With Switch 4 13½ 2 12 40		g						197 - F. S.	0.1.
666         With Switch         4         13½         2         12         40         Pol. Alum.         Lasher Se66           8666         With Switch and Shield         4         13½         3         12         40         Pol. Alum.         Lashing Lashing           8667         Without Switch         4         13½         2         12         40         Pol. Alum.         Lasting           8667         Without Switch         4         13½         2         12         40         Pol. Alum.         Lasting           8667         With Shield, Without Switch         4         13½         3         12         40         Pol. Alum.         Lasting           8667         With Shield, Without Switch         4         13½         3         12         40         Pol. Alum.         Lasting           8667         With Shield, Without Switch         4         13½         3         12         40         Pol. Alum.         Lasting           8667         With Shield, Without Switch         4         19½         3         18         30-60         Pol. Alum.         Lend           8678         With Switch and Shield         4         19½         3         18         30-60									
Se66   With Switch and Shield   4   13 ½   3   12   40   Ivory   Lashing   Se66   With Switch and Shield   4   13 ½   3   12   40   Pol. Alum.   Lass   Last   See7   Without Switch   4   13 ½   2   12   40   Pol. Alum.   Last   Lasting   Se67   With Shield, Without Switch   4   13 ½   3   12   40   Pol. Alum.   Lasting   Se67   With Shield, Without Switch   4   13 ½   3   12   40   Pol. Alum.   Lasting   Lasting   See7   With Switch   4   19 ½   2   18   30-60   Pol. Alum.   Latch   See8   With Switch   A   19 ½   2   18   30-60   Pol. Alum.   Lender   See8   With Switch   A   19 ½   2   18   30-60   Pol. Alum.   Lender   See9   With Shield   Without Switch   4   19 ½   2   18   30-60   Pol. Alum.   Lenter   See9   With Switch   A   19 ½   2   12   40   Pol. Alum.   Later   See70   With Switch   A   ½   14 ½   2   12   40   Pol. Alum.   Later   See71   Portable Hang-Up Type   A   ½   14 ½   2   12   40   Pol. Alum.   Later   See71   Portable Hang-Up Type   A   ½   14 ½   2   12   40   Pol. Alum.   Later   See72   With Shield, Without Switch   A   ½   14 ½   2   12   40   Pol. Alum.   Later   See72   With Switch   A   ½   14 ½   3   12   40   Pol. Alum.   Later   See73   With Switch   A   ½   14 ½   3   12   40   Pol. Alum.   Later   See74   Portable Hang-Up Type   A   ½   14 ½   3   18   30-60   Pol. Alum.   Latter   Latter   See74   Portable Hang-Up Type   A   ½   19 ½   2   18   30-60   Pol. Alum.   Latter   Latter   See75   With Shield, Without Switch   A   ½   19 ½   2   18   30-60   Pol. Alum.   Latter   Laud   See75   With Shield, Without Switch   A   ½   19 ½   2   18   30-60   Pol. Alum.   Launch   See75   With Shield, Without Switch   A   ½   19 ½   2   18   30-60   Pol. Alum.   Launch   Launch   See75   With Shield, Without Switch   A   ½   19 ½   3   18   30-60   Pol. Alum.   Launch   L			4						
8666         With Switch and Shield         4         13½         3         12         40         Pol. Alum.         Lass           667         Without Switch         4         13½         2         12         40         Ivory         Last           667         Without Switch         4         13½         2         12         40         Pol. Alum.         Lasting           8667         With Shield, Without Switch         4         13½         3         12         40         Pol. Alum.         Lastly           8667         With Shield, Without Switch         4         13½         3         12         40         Pol. Alum.         Latch           668         With Switch         4         19½         2         18         30-60         Pol. Alum.         Lender           8669         With Switch         4         19½         2         18         30-60         Pol. Alum.         Lenten           8670         With Switch         4         19½         3         18         30-60         Pol. Alum.         Lenten           8671         Portable Hang-Up Type         4½         14½         3         12         40         Pol. Alum.         Lateral <td>666</td> <td>With Switch</td> <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	666	With Switch	_						
667 Without Switch 4 13½ 2 12 40 Ivory Last 667 Without Switch 4 13½ 2 12 40 Pol. Alum. Lasting S667 With Shield, Without Switch 4 13½ 3 12 40 Pol. Alum. Lasting S667 With Shield, Without Switch 4 13½ 3 12 40 Pol. Alum. Last 668 With Switch 4 19½ 2 18 30-60 Pol. Alum. Lend Lend S668 With Switch and Shield 4 19½ 3 18 30-60 Pol. Alum. Lend Lent S669 With Shield, Without Switch 4 19½ 2 18 30-60 Pol. Alum. Lent S669 With Switch 4 19½ 2 12 40 Pol. Alum. Lent Lent S670 With Switch 4 19½ 2 12 40 Pol. Alum. Late S670 With Switch and Shield 4 ½ 14½ 3 12 40 Pol. Alum. Late S671 Portable Hang-Up Type 4 ½ 14½ 2 12 40 Pol. Alum. Latent S671 Portable Hang-Up Type and Shield 4 ½ 14½ 2 12 40 Pol. Alum. Latent S672 Without Switch 4 ½ 14½ 2 12 40 Pol. Alum. Latent S672 With Shield, Without Switch 4 ½ 14½ 2 12 40 Pol. Alum. Latent S673 With Switch and Shield 4 ½ 14½ 3 12 40 Pol. Alum. Latent S673 With Switch and Shield 4 ½ 14½ 3 12 40 Pol. Alum. Latent S673 With Switch and Shield 4 ½ 19½ 2 18 30-60 Pol. Alum. Latter S674 Portable Hang-Up Type A ½ 19½ 2 18 30-60 Pol. Alum. Latter S674 Portable Hang-Up Type A ½ 19½ 2 18 30-60 Pol. Alum. Latter S674 Portable Hang-Up Type and Shield 4 ½ 19½ 3 18 30-60 Pol. Alum. Latter S674 Portable Hang-Up Type A ½ 19½ 2 18 30-60 Pol. Alum. Latter S674 Portable Hang-Up Type and Shield 4 ½ 19½ 3 18 30-60 Pol. Alum. Latter S675 Without Switch 4 ½ 19½ 3 18 30-60 Pol. Alum. Latter S674 Portable Hang-Up Type and Shield 4 ½ 19½ 3 18 30-60 Pol. Alum. Latter S675 With Shield, Without Switch 4 ½ 19½ 3 18 30-60 Pol. Alum. Laudh S675 With Shield, Without Switch 4 ½ 19½ 3 18 30-60 Pol. Alum. Laudh S675 With Shield, Without Switch 4 ½ 19½ 3 18 30-60 Pol. Alum. Laudh S675 With Shield, Without Switch 4 ½ 19½ 3 18 30-60 Pol. Alum. Laudh S675 Shield, only 2¾ 13 1 12 Shield, only 2	S666	With Switch and Shield	4	13 1/2					
667         Without Switch         4         13½         2         12         40         Pol. Alum.         Lastly           S667         With Shield, Without Switch         4         13½         3         12         40         Pol. Alum.         Lastly           S667         With Shield, Without Switch         4         19½         2         18         30-60         Pol. Alum.         Lend           668         With Switch and Shield         4         19½         2         18         30-60         Pol. Alum.         Lender           669         Without Switch         4         19½         3         18         30-60         Pol. Alum.         Lender           669         With Shield, Without Switch         4         19½         3         18         30-60         Pol. Alum.         Lentent           8669         With Switch         4         19½         3         18         30-60         Pol. Alum.         Lentent           8670         With Switch         4½         14½         2         12         40         Pol. Alum.         Later           8671         Portable Hang-Up Type and Shield         4½         14½         2         12         40         Pol. Al	S666	With Switch and Shield	4	13 1/2			40	Pol. Alum.	
S667         With Shield, Without Switch         4         13½         3         12         40         Ivory         Lastly           S667         With Shield, Without Switch         4         13½         3         12         40         Pol. Alum.         Latch           668         With Switch         4         19½         2         18         30-60         Pol. Alum.         Lender           8668         With Switch and Shield         4         19½         3         18         30-60         Pol. Alum.         Lenten           8669         With Shield, Without Switch         4         19½         3         18         30-60         Pol. Alum.         Lenten           8670         With Switch         4½         14½         2         12         40         Pol. Alum.         Lately           671         Portable Hang-Up Type         4½         14½         3         12         40         Pol. Alum.         Lateral           8671         Portable Hang-Up Type and Shield         4½         14½         3         12         40         Pol. Alum.         Lather           8672         With Shield, Without Switch         4½         14½         14½         3         12	667	Without Switch	4	$13\frac{1}{2}$	2		40		
S667         With Shield, Without Switch         4         13½         3         12         40         Ivory         Lastly           S667         With Shield, Without Switch         4         13½         3         12         40         Pol. Alum.         Latch           668         With Switch         4         19½         2         18         30-60         Pol. Alum.         Lender           669         Without Switch         4         19½         2         18         30-60         Pol. Alum.         Lent           S669         With Shield, Without Switch         4         19½         3         18         30-60         Pol. Alum.         Lent           670         With Switch         4½         14½         2         12         40         Pol. Alum.         Lente           8670         With Switch and Shield         4½         14½         3         12         40         Pol. Alum.         Lately           671         Portable Hang-Up Type and Shield         4½         14½         3         12         40         Pol. Alum.         Lateral           8672         With Switch         4½         14½         14½         3         12         40         Po	667	Without Switch	4	13 1/2	2	12	40	Pol. Alum.	Lasting
S667         With Shield, Without Switch         4         13½         3         12         40         Pol. Alum.         Latch           668         With Switch         4         19½         2         18         30-60         Pol. Alum.         Lend           669         Without Switch         4         19½         3         18         30-60         Pol. Alum.         Lenten           8669         With Shield, Without Switch         4         19½         3         18         30-60         Pol. Alum.         Lenten           670         With Switch         4         19½         3         18         30-60         Pol. Alum.         Lenten           8670         With Switch         4½         14½         2         12         40         Pol. Alum.         Lately           671         Portable Hang-Up Type         4½         14½         3         12         40         Pol. Alum.         Latent           8671         Portable Hang-Up Type and Shield         4½         14½         3         12         40         Pol. Alum.         Lather           8672         Without Switch         4½         14½         3         12         40         Pol. Alum. <td< td=""><td>S667</td><td>With Shield, Without Switch</td><td>4</td><td>13 1/2</td><td>3</td><td>12</td><td>40</td><td>Ivory</td><td>Lastly</td></td<>	S667	With Shield, Without Switch	4	13 1/2	3	12	40	Ivory	Lastly
668         With Switch         4         19½         2         18         30-60         Pol. Alum.         Lender           669         With Switch and Shield         4         19½         2         18         30-60         Pol. Alum.         Lenter           8669         With Shield, Without Switch         4         19½         3         18         30-60         Pol. Alum.         Lenter           670         With Switch         4         19½         3         18         30-60         Pol. Alum.         Lenter           8670         With Switch and Shield         4½         14½         2         12         40         Pol. Alum.         Lately           671         Portable Hang-Up Type         4½         14½         3         12         40         Pol. Alum.         Lateral           8671         Portable Hang-Up Type and Shield         4½         14½         3         12         40         Pol. Alum.         Lather           8672         With Shield, Without Switch         4½         14½         3         12         40         Pol. Alum.         Lather           8673         With Switch and Shield         4½         19½         3         18         30-60			4	13 1/2	3	12	40	Pol. Alum.	Latch
S668         With Switch and Shield         4         19½         3         18         30-60         Pol. Alum.         Lender Lent           669         Without Switch         4         19½         2         18         30-60         Pol. Alum.         Lenten           8669         With Shield, Without Switch         4         19½         3         18         30-60         Pol. Alum.         Lenten           670         With Switch         4½         14½         2         12         40         Pol. Alum.         Lately           8670         With Switch and Shield         4½         14½         3         12         40         Pol. Alum.         Lately           671         Portable Hang-Up Type and Shield         4½         14½         3         12         40         Pol. Alum.         Lateral           8671         Portable Hang-Up Type and Shield         4½         14½         3         12         40         Pol. Alum.         Lather           8672         With Shield, Without Switch         4½         14½         3         12         40         Pol. Alum.         Lather           8673         With Switch         4½         19½         3         18         30-60 <td></td> <td></td> <td>4</td> <td>19 1/2</td> <td>2</td> <td>18</td> <td>30-60</td> <td>Pol. Alum.</td> <td>Lend</td>			4	19 1/2	2	18	30-60	Pol. Alum.	Lend
669         Without Switch         4         19½         2         18         30-60         Pol. Alum.         Lent           8669         With Shield, Without Switch         4         19½         3         18         30-60         Pol. Alum.         Lenten           670         With Switch         4½         14½         2         12         40         Pol. Alum.         Lately           8670         With Switch and Shield         4½         14½         2         12         40         Pol. Alum.         Lately           671         Portable Hang-Up Type and Shield         4½         14½         3         12         40         Pol. Alum.         Latent           8671         Portable Hang-Up Type and Shield         4½         14½         3         12         40         Pol. Alum.         Lateral           672         With Shield, Without Switch         4½         14½         3         12         40         Pol. Alum.         Lather           673         With Switch         4½         19½         2         18         30-60         Pol. Alum.         Latter           8673         With Switch and Shield         4½         19½         3         18         30-60			4	19 1/2	3	18	30-60	Pol. Alum.	Lender
Secondary   Seco			4	19 1/2	2	18	30-60	Pol. Alum.	
670         With Switch         4½         14½         2         12         40         Pol. Alum.         Lately           8670         With Switch and Shield         4½         14½         3         12         40         Pol. Alum.         Lately           671         Portable Hang-Up Type and Shield         4½         14½         2         12         40         Pol. Alum.         Latent           672         Without Switch         4½         14½         2         12         40         Pol. Alum.         Lateral           8672         With Shield, Without Switch         4½         14½         3         12         40         Pol. Alum.         Lather           673         With Switch and Shield         4½         19½         3         18         30-60         Pol. Alum.         Latter           674         Portable Hang-Up Type         4½         19½         3         18         30-60         Pol. Alum.         Latter           8674         Portable Hang-Up Type and Shield         4½         19½         3         18         30-60         Pol. Alum.         Laud           675         Without Switch         4½         19½         2         18         30-60			4	19 1/2	3	18	30-60	Pol. Alum.	Lenten
S670         With Switch and Shield         4 ½ 14 ½ 3 12 40 Pol. Alum.         Lately           671         Portable Hang-Up Type         4 ½ 14 ½ 2 12 40 Pol. Alum.         Latent           S671         Portable Hang-Up Type and Shield         4 ½ 14 ½ 3 12 40 Pol. Alum.         Lateral           672         Without Switch         4 ½ 14 ½ 3 12 40 Pol. Alum.         Lath           S672         With Shield, Without Switch         4 ½ 19 ½ 2 18 30-60 Pol. Alum.         Lather           673         With Switch and Shield         4 ½ 19 ½ 2 18 30-60 Pol. Alum.         Latter           5673         With Switch and Shield         4 ½ 19 ½ 2 18 30-60 Pol. Alum.         Latter           674         Portable Hang-Up Type         4 ½ 19 ½ 2 18 30-60 Pol. Alum.         Lattice           S674         Portable Hang-Up Type and Shield         4 ½ 19 ½ 2 18 30-60 Pol. Alum.         Laud           675         Without Switch         4 ½ 19 ½ 2 18 30-60 Pol. Alum.         Laud           5675         With Shield, Without Switch         4 ½ 19 ½ 3 18 30-60 Pol. Alum.         Laud           5675         With Shield, Without Switch         4 ½ 19 ½ 3 18 30-60 Pol. Alum.         Laud           5675         With Shield, Without Switch         4 ½ 19 ½ 3 18 30-60 Pol. Alum.         Laud           5675         With Shield, With			4 1/2	14 1/2	2	12	40	Pol. Alum.	Late
671 Portable Hang-Up Type 4½ 14½ 2 12 40 Pol. Alum.  S671 Portable Hang-Up Type and Shield 4½ 14½ 3 12 40 Pol. Alum.  672 Without Switch 4½ 14½ 2 12 40 Pol. Alum.  S672 With Shield, Without Switch 4½ 14½ 3 12 40 Pol. Alum.  S673 With Switch 4½ 19½ 2 18 30-60 Pol. Alum.  S673 With Switch and Shield 4½ 19½ 3 18 30-60 Pol. Alum.  S674 Portable Hang-Up Type 4½ 19½ 3 18 30-60 Pol. Alum.  S675 Without Switch 4½ 19½ 3 18 30-60 Pol. Alum.  S676 Without Switch 4½ 19½ 3 18 30-60 Pol. Alum.  S677 Without Switch 4½ 19½ 3 18 30-60 Pol. Alum.  S678 Without Switch 4½ 19½ 3 18 30-60 Pol. Alum.  S679 Without Switch 4½ 19½ 3 18 30-60 Pol. Alum.  S670 Without Switch 4½ 19½ 3 18 30-60 Pol. Alum.  S671 Without Switch 4½ 19½ 3 18 30-60 Pol. Alum.  S672 With Shield, Without Switch 4½ 19½ 3 18 30-60 Pol. Alum.  S673 With Shield, only 2¾ 13 1 12  S674 Shield, only 2¾ 19 1 18			4 1/2	14 1/2	3	12	40	Pol. Alum.	Lately
S671       Portable Hang-Up Type and Shield       4 ½ 14 ½ 2 12 40 Pol. Alum.       Lateral Lath         672       Without Switch       4 ½ 14 ½ 3 12 40 Pol. Alum.       Lather         S672       With Shield, Without Switch       4 ½ 19 ½ 2 18 30-60 Pol. Alum.       Lather         673       With Switch       4 ½ 19 ½ 3 18 30-60 Pol. Alum.       Latice         S673       With Switch and Shield       4 ½ 19 ½ 3 18 30-60 Pol. Alum.       Latter         674       Portable Hang-Up Type       4 ½ 19 ½ 3 18 30-60 Pol. Alum.       Lattice         S674       Portable Hang-Up Type and Shield       4 ½ 19 ½ 3 18 30-60 Pol. Alum.       Laud         675       Without Switch       4 ½ 19 ½ 3 18 30-60 Pol. Alum.       Laud         S675       With Shield, Without Switch       4 ½ 19 ½ 3 18 30-60 Pol. Alum.       Laud         S675       With Shield, Without Switch       4 ½ 19 ½ 3 18 30-60 Pol. Alum.       Laugh         S675       With Shield, Only       2 ¾ 13 1 12 12 18 18 12 12 12 18 12 12 12 12 18 18 12 12 12 12 18 12 12 12 12 12 12 12 12 12 12 12 12 12				14 1/2	2	12	40	Pol. Alum.	Latent
672 Without Switch  8672 With Shield, Without Switch  4 ½ 14 ½ 2 12 40 Pol. Alum.  673 With Switch  8673 With Switch and Shield  4 ½ 19 ½ 2 18 30-60 Pol. Alum.  8674 Portable Hang-Up Type  8674 Portable Hang-Up Type and Shield  4 ½ 19 ½ 2 18 30-60 Pol. Alum.  8675 Without Switch  8676 Without Switch  8677 Without Switch  8678 Portable Hang-Up Type and Shield  8679 Without Switch  8670 Without Switch  8670 Pol. Alum.  8671 Pol. Alum.  8671 Lattice  8672 Laud  8673 Laud  8675 Without Switch  8675 Without Switch  8675 Without Switch  8675 With Shield, Without Switch  8675 With Shield, Without Switch  8670 Shield, only  870 Pol. Alum.  870 Pol. Alum.  870 Pol. Alum.  870 Laud  870					3	12	40	Pol. Alum.	Lateral
S672         With Shield, Without Switch         4½         14½         3         12         40         Pol. Alum.         Lather           673         With Switch         4½         19½         2         18         30-60         Pol. Alum.         Lavish           S673         With Switch and Shield         4½         19½         3         18         30-60         Pol. Alum.         Latter           674         Portable Hang-Up Type         4½         19½         2         18         30-60         Pol. Alum.         Lattice           S674         Portable Hang-Up Type and Shield         4½         19½         3         18         30-60         Pol. Alum.         Laud           675         Without Switch         4½         19½         3         18         30-60         Pol. Alum.         Laugh           S675         With Shield, Without Switch         4½         19½         3         18         30-60         Pol. Alum.         Laugh           691         Shield, only         2¾         13         1         12           692         Shield, only         2¾         19         1         18			4 1/2		2	12	40	Pol. Alum.	Lath
673 With Switch 4 ½ 19 ½ 2 18 30-60 Pol. Alum. Latter S673 With Switch and Shield 4 ½ 19 ½ 3 18 30-60 Pol. Alum. Latter Portable Hang-Up Type 4 ½ 19 ½ 2 18 30-60 Pol. Alum. Lattice Portable Hang-Up Type and Shield 4 ½ 19 ½ 3 18 30-60 Pol. Alum. Laud Laud Without Switch 4 ½ 19 ½ 2 18 30-60 Pol. Alum. Laud Laugh S675 Without Switch 4 ½ 19 ½ 3 18 30-60 Pol. Alum. Laugh S675 With Shield, Without Switch 4 ½ 19 ½ 3 18 30-60 Pol. Alum. Laugh Shield, only 2 ¾ 13 1 12 Laugh Laugh Shield, only 2 ¾ 13 1 12 Law Lawful						12	40	Pol. Alum.	Lather
S673       With Switch and Shield       4 ½ 19 ½ 3 18 30-60 Pol. Alum.       Latter Lattice         674       Portable Hang-Up Type       4 ½ 19 ½ 2 18 30-60 Pol. Alum.       Lattice         S674       Portable Hang-Up Type and Shield       4 ½ 19 ½ 3 18 30-60 Pol. Alum.       Description of the standard of the s						18	30-60	Pol. Alum.	Lavish
674 Portable Hang-Up Type 4½ 19½ 2 18 30-60 Pol. Alum.  S674 Portable Hang-Up Type and Shield 4½ 19½ 3 18 30-60 Pol. Alum.  675 Without Switch 4½ 19½ 2 18 30-60 Pol. Alum.  S675 With Shield, Without Switch 4½ 19½ 3 18 30-60 Pol. Alum.  691 Shield, only 2¾ 13 1 12  692 Shield, only 2¾ 19 1 18				1 100		18	30-60	Pol. Alum.	Latter
Solution							30-60	Pol. Alum.	Lattice
675 Without Switch 4½ 19½ 2 18 30-60 Pol. Alum. S675 With Shield, Without Switch 4½ 19½ 3 18 30-60 Pol. Alum. 691 Shield, only 2¾ 13 1 12 692 Shield, only 2¾ 19 1 18		Portable Hang Up Type					30-60	Pol. Alum.	Laud
With Shield, Without Switch   4½ 19½ 3 18 30-60 Pol. Alum.   Launch   691   Shield, only   2¾ 13 1 12   Law   Lawful   692   Shield, only   2¾ 19 1 18   Lawful   Lawful   Canada   C			11/2				30-60	Pol. Alum.	Laugh
691 Shield, only 2¾ 13 1 12 692 Shield, only 2¾ 19 1 18  Lawful									Launch
692 Shield, only 2 % 19 1 18 Lawful					1				Law
052 Shield, only					1				Lawful
	692	Shield, only	4 74	10		10			2003

The Frankelite "Lumiline" fixtures are made very substantial of heavy material and fine construction. They are not to be confused with the numerous cheap, flimsy fixtures offered in substitute. The Frankelite "Lumilines" offer most unusual and unlimited possibilities for sales development to the widest range of customers. Installations already made have proven extremely satisfactory.

On the following page is shown the Frankelite "Lumiline" center and connecting pieces, their catalog numbers and "Lumilines" which they fit.

## THE "LUMILINE" SERIES

The Frankelite "LUMILINE CENTER AND CONNECTING PIECES"


Suitable for homes, offices, stores, lobbies, cafeterias, theatres, night clubs, churches, concert halls, display rooms, ceilings, walls, beams, pilasters,

		Party of the country	-8-1 warm, souther,	pilastors, otc.
FINISH POLISHED ALUMINUM Catalog Number of CENTERS	FOR 1 LUMILINES			
"Lumilines"	FOR I LOWILLINES	FOR 2 LUMILINES (OPPOSITE)	FOR 4 LUMILINES (CROSS)	FOR 2 LUMILINES (ADJ. OR CORNERS)
676	651-654			
677		651-654		
678			651-654	
679				651-654
680	657-659-667-669			
681		657-659-667-669		
682			657-659-667-669	
683				657-659-667-669
684	672-675			
685		672-675		
686			672-675	
687				672-675
693	662-665			
694		662-665		
695			662-665	
696				662-665
How to calect	CENTER PIECES for Franke	lite "I umilines" to build	decentive emergements a	

How to select CENTER PIECES for Frankelite "Lumilines" to build decorative arrangements as suggested on preceding pages. In the four columns headed by sketches of the CENTER PIECES is shown catalog numbers of the "Lumilines" which these CENTERS will accommodate, and in the first left-hand column, in bold face type, is shown the number of the CENTER PIECE wanted. If, for example, you wish to make a cross using "Lumiline" No. 667, you will find CENTER PIECE "for 4 Lumilines (cross)" at top of page. In column directly under you will find No. 667, on the same horizontal line, in the first column, you will notice the number of the cross CENTER is No. 682, shown in bold face type. Use bold face number in ordering "CENTERS".

### PORCELAIN AND GLASS SERIES

FINISH: White Vitrified China, New Glass with Enamel Bottom and Crystal Prysmatic Top. No. 3601D-2077D Ivory Decorated



Catalog Number	Style	Glassware	Diameter Inches	Depth Inches	Standard Package	Code
3600	1-Light Beam	None	5	3 1/2	12	Pack
3601	24" Fitter, Canopy	None	5	2 %	12	Pal
3602	1-Light Holder, 4" Fitter	None	5	3	12	Pan
	1-Light Holder, 4" Fitter	None	6 1/4	3	12	Pander
3603 3602-2072	Kitchen Unit	Enamel Bottom Crystal Top	6 ½	9	12	Palmy
3603-2074	Kitchen Unit	Enamel Bottom Crystal Top	8	11	12	Palmist
3601-2077	Kitchen Unit	Enamel Crystal Bottom (Removable)	7	9	12	Palter
3601D-2077D	Same as 3601-2077 except Ivory and Decorated	Enamel Crystal Bottom (Removable	7	9	12	Paltry


Here is shown a group of porcelain holders of rich modern design. Also a group of Kitchen Units. All numbers except 3601D-2077D are White Vitrified China with White Enamel and Crystal Glass. The No.3601D-2077D except it is made in beautiful rich Ivory decorated, as shown.

Note: For complete description of glassware see following pages.

## THE NEW GLASSWARE SERIES

FINISH: As Shown Below.

(When ordering be sure to specify finish wanted.)



Catalog Number	Style	Glass	Fitter Size	Diameter Inches	Depth Inches	Standard Package	Code
2060 2060BL 2061 2062 2062BL 2070 2072 2074 2076 2077	Lantern Enclosing Globe Kitchen Unit Commercial Unit Commercial Unit Kitchen Unit	Crystal Rough Inside C. R. I. Black Lined Amber or Etched Crystal Rough Inside C. R. I. Black Lined *See Note Below *See Note Below *See Note Below *See Note Below Opal, Crystal	3 1/4 3 1/4 3 1/4 3 1/4 4 6 6 6 6 2 1/4	$\begin{array}{c} 6 \\ 6 \\ 6 \\ 6 \\ 8 \\ \frac{12}{14} \\ 16 \\ 7 \end{array}$	7 7 6½ 7 7 8 10¼ 11½ 13 6¼	24 24 24 24 24 12 4 2 1	Golf Golfer Gondola Gone Goner Good Goodly Goose Gopher Gore
2077D 2078 2079	Kitchen Unit Kitchen Unit Kitchen Unit	Removable Bottom (Like 2077) Ivory Decorated *See Note Below Opal Crystal Bottom	2 ¼ 4 4	7 6 % 8 ½	6 1/4 6 1/2 7	12 12 12 12	Gorge Gorse Gospel
* NOTE				All	glassware	Price Sche	dule "F"

\* NOTE

Above is shown a complete series of new glassware for commercial and residential use. Of especial interest and importance is the new series with the Opal Bottom and Prismatic Crystal Top which is winning great favor on account of its beauty and efficiency.

The two beautiful kitchen units with removable crystal bottoms are designed for easy access for cleaning and relamping. The Lantern Series have proven very popular numbers.

## THE NEW GLASSWARE SERIES

General, Commercial, School and Store Lighting




Illustration Shown	Catalog Number	Style	Glass	Fitter Size	Diameter Inches	Depth Inches	Standard Package	Code
A B C D	2250 W 2250-D 2238 W 2238-C	Commercial Unit, Chrome Ring Similar to No. 2250 Kitchen Unit Similar to No. 2238	Optic Crystal Bottom Decoration, as shown Opal Body Opal, Crystal Bottom	6 6 4 4	9 9 8 8	12½ 12½ 7	12 12 12 12	Gossip Got Homing Homely
E E E E E	2280 2290 2291 2292 2294 2296	Kitchen Unit Kitchen or Commercial Unit Kitchen or Commercial Unit Commercial Unit Commercial Unit Commercial Unit	Luminex Luminex Luminex Luminex Luminex Luminex	4 4 4 6 6 6	8 \\\ 9. 10 11 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	6 6 ½ 6 ½ 7 ¾ 8 ¾ 10	12 12 4 4 2 2	Sieve Sign Sight Silo Siren Slab
F F	2090 2092 2094	Kitchen Unit Commercial Unit Commercial Unit	Luminex Luminex Luminex	4 6 6	$   \begin{array}{c}     8  \frac{34}{4} \\     12 \\     13  \frac{1}{2}   \end{array} $	5 ½ 7 ¼ 8	12 4 2	Shore Shout Shoed
G G G G	2070-BD 2072-BD 2074-BD 2076-BD 2078-BD	Kitchen Unit Commercial Unit Commercial Unit Commercial Unit Kitchen Unit	Opal Decorated Opal Decorated Opal Decorated Opal Decorated Opal Decorated	4 6 6 6 4	8 ½ 12 14 16 6 %	8 10 ¼ 11 ½ 13 6 ½	12 4 2 1 12	Goth Gothic Gouge Gouger Gourd
H H H H	2070-W 2072-W 2074-W 2076-W 2078-W	Kitchen Unit Commercial Unit Commercial Unit Commercial Unit Kitchen Unit	Opal Glass Opal Glass Opal Glass Opal Glass Opal Glass	4 6 6 6 4	8 ½ 12 14 16 6 %	8 10 <sup>1</sup> / <sub>4</sub> 11 <sup>1</sup> / <sub>2</sub> 13 6 <sup>1</sup> / <sub>2</sub>	12 4 2 1 12	Gout Govern Gown Grab Grace

## THE MISCELLANEOUS GLASSWARE SERIES

Staple Glassware



Illustration Shown	Catalog Number	Style	Glass	Fitter Size	Diameter Inches	Depth Inches	Standard Package	Code
K	2006	Ball	Opal	3 1/4	6	6 ½	12	Saddle
K	2007	Ball	Opal	3 1/4	7	7 1/2	12	Graft
K	2008	Ball	Opal	4	8	8 1/2	12	Hokum
K	2012	Ball	Opal	6	12	121/2	2	Hole
K	2014	Ball	Opal	6	14	14 1/2	2	Holly
K	2016	Ball	Opal	6	16	16 1/2	2	Hurt
K	2016-A	Ball	Opal	8	16	16 1/2	2	Hurts
L	2026	Mission Bell	Opal	2 1/4	6	4 1/2	24	Saber
	2027	Mission Bell	Opal	21/4	7	5 1/2	24	Sack
M	18347	Half-Hand Shade	Opal	2 1/4			24	Spark
N	17	Reflector	Opal	2 1/4	7	3 1/4	36	Scaup
N	19	Reflector	Opal	21/4	9	3 1/2	24	Scene
N .	11	Reflector	Opal	2 1/4	11	4	12	Scare
	471-D-222	Shade	Decorated Pink, Blue, Yellow with Flowers	2 1/4	6		36 asst.	Screen
	51	Shade	Decorated Scene Gray or Blue	2 1/4	4		36 asst.	Schism
	514	Bowl	Satin Embossed		12	10	4	Shame
	516	Bowl	Satin Embossed		16	14	6	Snore
T	T-4	1-Light Shade	Textolite (Unbreakable)	****	4 1/2	3 3/4	12	Grade

MAXIMUM EYE COMFORT, SATISFYING BEAUTY AT MINIMUM COST.

These

Hangers

and Holders

are Available

in Both

FINISHES:

Bronze

also Chromium

## HANGERS, HOLDERS, COMMERCIAL SERIES

FINISHES: Bronze; Also Chromium



These Hangers and Holders Can be Furnished Wired with the Special Sockets and Switches for Use with the New Mazda 3-Light Lamps

CONVENTIONAL MODERN **STREAMLINE** 

Illustration Shown	Catalog Number	Fitter Size	Socket Size	Style	Lentgh Overall	Standard Package	Finish	Code
A	5144	4"	Medium	Sectional Casing Hanger	24	12	Bronze Chrome	Grail Grain
A	5146-E	6"	Medium	Sectional Casing Hanger	24	12	Bronze Chrome	Grainer Gram
A	5146-M	6"	Mogul	Sectional Casing Hanger	24	12	Bronze Chrome	Grand Grange
В	5114	4"	Medium	Sectional Casing Hanger	24	12	Bronze Chrome	Granite Grant
В	5116-E	6"	Medium	Sectional Casing Hanger	24	12	Bronze Chrome	Grantor Grape
В	5116-M	6"	Mogul	Sectional Casing Hanger	24	12	Bronze Chrome	Graph Grasp
C	5124	4"	Medium	Ornamental Chain Hanger	24	12	Bronze Chrome	Grass Grate
С	5126-E	6"	Medium	Ornamental Chain Hanger	24	12	Bronze Chrome	Gratis Grave
С	5126-M	6"	Mogul	Ornamental Chain Hanger	24	12	Bronze Chrome	Gravel Graver

All Fixtures, Price Schedule "F"

Here are shown a group of Hangers in Style and Finish to meet every commercial need. The Casing Hangers are equipped with Casings assembled in 8-inch sections, which permits a simple means of adjusting length of Hangers in accordance with the need of the particular job. Unless otherwise specified all Hangers are furnished 24-inch overall. For cost of extra sections see Price List.

## HANGERS, HOLDERS, COMMERCIAL SERIES

FINISHES: Bronze; also Chromium




Illustration Shown	Catalog Number	Fitter Size	Socket Size	Style	Lentgh Overall	Standard Package		Code
D	5109	4"	Medlum	Chain Hanger, Slip Canopy	36	24	Bronze	Knave
D	5108-E	6"	Medium	Chain Hanger, Slip Canopy	36	24 24 24	Chrome Bronze Chrome	Hodge Knack Hockey
D	5108-M	6"	Mogul	Chain Hanger, Slip Canopy	36	$\frac{24}{24}$	Bronze	Gravy
E	5104	4"	Medium	Threaded Slip Canopy	36	24 24 24	Chrome Bronze Chrome	Gray Graze Grease
E	5106-E	6"	Medium	Threaded Slip Canopy	36	24	Bronze	Great
E	5106-M	6"	Mogul	Threaded Slip Canopy	36	24 24	Chrome Bronze	Grebe Greek
F	5109 1/2	4"	Medium	Chain Hanger Swinging Loop Canopy	36	24 24 24	Chrome Bronze Chrome	Greet Kodak Hod
F	5108½-E	6"	Medium	Chain Hanger Swinging Loop Canopy	36	24 24	Bronze Chrome	Knight Hocus
F	5108 ½ -M	6"	Mogul	Chain Hanger Swinging Loop Canopy	36	24 24	Bronze Chrome	Grew Grinde
G	4064	6"	Medium	Ceiling Hanger	5	24 24	Bronze Chrome	Hinge Hint
H	5074	4"	Medium	Ceiling Holder	6	24 24	Bronze Chrome	Grin Grind
Н	5076	6"	Medium	Ceiling Holder	6	24 24	Bronze Chrome	Grind Grip Gripe
K	1985	4"	Medium	Ceiling Holder	5	36 36	Bronze Chrome Vhite Enamel	Hiked Higgle Glide

NOTE: SEE PRICE LIST FOR HANGERS AND HOLDERS WIRED AND BARE.

All Fixtures, Price Schedule "F"

Here are shown a group of Chain Hangers complete in Stye, Finish and Socket Size to meet every commercial requirement. All Chain Hangers are furnished in Standard 36-inch Overall length.

The Group of Ceiling Holders shown are designed to harmonize with the Hangers shown above and on the preceding page.

# Miscellaneous Canopies,

All Holders and Beam Lights are packed



## Holders and Adapters

V in individual cartons with Straps and Screws



No. 4070-1 Light

Diameter 5½" Length 31/2" With or without Receptacle Browntone-Gold, Ivory-Poly or Mahogany-Gold Equipped with cross-bar



No. 4064-6" Fitter

Diameter 6½" Statuary Bronze or "Chrome' Finish Equipped with cross-bar Bare or Keyless Receptacle



No. 1983-4" Fitter

Diameter 61/2" White Enamel or "Chrome" Equipped with cross-bar With or without Receptacle No. 1983P-4 Same as No. 1983 With Pull Receptacle



No. 1968

Bushed Canopy Depth 2½" Diameter 51/2" Brush Brass or Browntone



No. 4136-Adapter Rich Gilt, Gold or Pompeian Diameter 4'



No. 5061

Center Rod Type Bracket With or without Socket Cover 2¼" Holder Browntone, Brush Brass, White Enamel or Statuary Bronze No sockets-Not wired



No. 1966 - 21/4" Holder Only Diameter — 4½" White Enamel Finish or Chromium Plate



1 Light—Diameter 5½" Equipped with 4-ft. Cord and Switch with Convenience Receptacle White Enamel or 'Chrome Equipped with cross-bar



CROSS BARS

Code: Tent 43/8" Diameter 345 Code: Term 53/8" Diameter 346 Code: Test Diameter Equipped with 8-32 Machine Screws

All Fixtures, Price Schedule "F"

Prices on Steel Fixture Chain, Running Thread, Adjustable Cross-Bar, Hickeys, Iron Extensions, Threaded Nipples and other fixture parts furnished on application.



No. 4071-1 Light

Diameter 51/2" Length 4" With or without Receptacle Browntone or Ivory and Polychrome Equipped with cross-bar



No. 1985-4" Fitter

No. 4066-21/4" Fitter

Diameter 51/2 Browntone, White Enamel, Ivory or Chrome" Equipped with cross-bar With or without Receptacle



No. 337-31/4" Cast Iron Porch Ring for Receptacle, Black No. 338-4"

Cast Iron Porch Ring for Receptacle, Black



No. 4076-31/4" Cast Iron Porch Ring-Black No. 4076-4" Cast Iron Porch Ring—Black No. 4076-6"


Cast Iron Porch Ring—Black



No. 1967 — 4½" Diam. White Enamel and Browntone Packed 10 to Pkg., 100 to a Unit Code: Festoon



# I. E. S. BETTER-SIGHT GLASSWARE AND CONVERTERS Better Light for Better Sight V Scientifically Designed to Prevent Eyestrain



Catalog Number	Style	Fitter Size	Diameter Inches	Depth Inches	Standard Package	Code
G-6	Glassware for Wall Brackets, etc.	2 1/4	6	5	6	Daub
T-6	Textolite, same shape as G-6	2 1/4	6	5	6	Daunt
G-8	Glassware for Table Lamps, Dinalites, etc.	2 1/4	8	6	6	Davit
T-8	Textolite, same shape as G-8	2 1/4	8	6	6	Daw
G-95	Glassware for Floor Lamps, Dinalites, etc.	2 5/8	9 3/8	6	6	Dawn
T-95	Textolite, same shape as G-95	2 5/8	9 3/8	6	6	Dawning
G-102	Glassware for Floor Lamps	2 1/4	10	6	6	Deacon
G-103	Glassware for Floor Lamps, Dinalites, etc.	2 5/8	10	6	6	Deal
G-104	Glassware for Floor Lamps, Dinalites, etc.	3	10	6	6	Dean
G-105	Glassware for Dinalites	3" Slip	10	6	6	Debar
- S	Converter for Table or Floor Study	2 1/4	****		6	Dear
D C	Converter Two-way Mogul Socket	2 5/8			6	Dearly
0	Mogul with Three-branch Candles, Converter	2 5/8	****		6	Deary

The above group of glassware is complete for all types of I. E. S. Table, Floor and Wall Lamps, also "Dinalites." All sizes are furnished in glass, and in addition some of the sizes are furnished in "Textolite"—the new composition,—washable, unbreakable, light weight.

All Converters are finished in Bank Bronze and made complete ready for use with 12-feet of approved rubber cord, with plug and fittings; for ¼-inch pipe nipple.

All Price Schedule "F"

The NEW I.E.S. approved

## BETTER-SIGHT LAMPS

# A NATION WIDE PROGRAMME for BETTER LIGHT $\varnothing$ BETTER SIGHT

Certified Light based on the latest development in Illuminating Engineering Design.

SCIENTIFIC PRINCIPLE — STURDY CONSTRUCTION — BEAUTY OF DESIGN AND FINISH

The Illuminating Engineering Society has developed after careful study and research, principles of proper illumination. The results of these studies have been incorporated in a set of specifications which FRANKELITE rigidly follows and which assure the best achievement in portable lighting units.

FRANKELITE HAS DEVELOPED THIS GROUP OF APPROVED PORTABLE LAMPS COMPLETE FOR EVERY RESIDENTIAL NEED.



THE NEW
SEMI-INDIRECT
"VARIALITE"

by

FRANKELITE


# BETTER SIGHT

I-E-S-APPROVED



LAMPS

All Models



THE NEW
SEMI-INDIRECT
"VARIALITE"

with

3 BRANCH CANDLES

WIDE RANGE OF STYLES AND PRICES

# Rich in Variety of Style, Finish and Color Complete in Type and Design

On Pages 72, 73 and 74 of this Catalog are shown Only a Few of our Popular Lamp Numbers

WE HAVE A COMPLETE LINE OF APPROVED LAMPS OF EVERY TYPE

INCLUDING THE NEW I.E.S. BRIDGE LAMPS, IN ADDITION TO LAMPS SHOWN IN THIS CATALOG.

Write for Catalog®

EFFICIENT

## FRANKELITE "PICK-UP"

## BETTER-SIGHT LAMPS

DECORATIVE GRACEFUL RHYTHMIC PROPORTIONS

One Lamp does many tasks efficiently. The Lamp ready for every lighting task.



2000		and bears the Certific	cation
CENTIFICATE ASSE	Lamp Catalog No.	FINISHES	Height Overall
Ria		ANTIQUE IVORY and GOLD IVORY and GOLD or FRENCH BRONZE and GOLD	58"
I.E.S	4147	STATUARY BRONZE or ANTIQUE IVORY and GOLD	58" 58"
		NOVELTY GREEN and BONE	58" 58"
EN 1	4197	NEW BRONZE HAND FINISHED	58"
CIENCATIONS		NOTE ALL CURLOT TO PRIOR COLUMN	



GLASS BOWL

## THE NEW I.E.S. APPROVED

## "BETTER SIGHT"

LAMPS

## STANDARD 100 WATT

TYPE TABLE MODELS

Adapted for Home, School, Library and Office-For Table or Desk



Finish: Base No. 306

Finish:

Statuary Bronze Shade No. 5



Finish: Base No. 303



Seagreen Shade No. 19



Finish: English Bronze or Ivory and Gold Shade No. 18 Base No. 314

Scientific Construction Gives Far More Useful Light than Ordinary Lamps. Combines Direct with Soft Indirect Light for Greatest Eye Ease



Ivory and Gold Base No. 4153 Shade No. 21



Statuary Bronze Finish: Shade No. 5 Base No. 4143



Finish: Base No. 4133

Shade No. 22

Adapted for Living Room, Music Room, Etc., or Where Table Is Not Available or Wanted







Certified Light based on the latest development in Illuminating Engineering Design.

## SEMI-INDIRECT I.E.S. APPROVED

NEW 50-100-150 WATT

## BETTER-SIGHT" LAMP MODELS

## STANDARD MODELS

This New Three Light Two Filament Lamp Provides Three Levels of Illumination by the Mere Turn of One Switch



Finish: Base No. 3152

English Bronze Shade No. 17



Antique Ivory and Gold Finish: Base No. 3212 Shade No. 15



Finish: English Bronze or Ivory and Gold Base No. 3121 Shade No. 16



Finish: Antique Ivory and Gold Base No. 4124 Base No. 4125

Height 58" Height 63" Shade No. 18



Novelty Green and Bone 84 Height 58" 85 Height 63" Finish: Base No. 4184 Base No. 4185

Shade No. 21

Finish: No. Base No. 4194 New Bronze, Hand Finish Height 58" Height 63" Base No. 4195

Shade No. 22

Can Be Used with either 100-200-300 Watt Type Bulb or the New 50-100-150 Watt Type Bulb







Provides Three Levels of Illumination and Permits Great Flexibility of Light by Mere Turn of One Switch

# NUMERICAL INDEX and PRICE LIST

### CATALOG NO. 36-37

Superseding All Previous Price Lists and Price Quotations

JULY 1st, 1936.

Under Existing Circumstances Prices Are Subject to Change Without Notice All Prices Subject to Federal and State Taxes

NOTE: ALL FIXTURES SUBJECT TO PRICE SCHEDULE "F".

ALL ITEMS UNDER PRICE SCHEDULE "L" NOT SUBJECT TO SAME DISCOUNT AS PRICE SCHEDULE "F".

Mazda Lamps are not included in the price of the fixtures.

Always use Catalog Number when ordering. Kindly specify finish desired where more than one is listed Merchandise returned to us for any reason without our consent will not be accepted.

Catalog		Std.			List 1	Catalog		- C		-	
No.	Finish	Pkg.	Code	Page	Price	No.	Finish	Std. Pkg.	Code	Page	List Price
-	Bronze, Medium Skt.	6	Dear	70 :	\$ 1.89	666	Ivory, switch	3	Larva		\$ 4.50
	Bronze, Mogul Skt.	6	Dearly	70	3.60	S666	Pol. Alum., switch, shield		Lass	35-61	6.75
6	Bronze, Mog. w. 3 Cdls.	6	Deary	70	6.45	S666	Ivory, switch, shield	3	Lashing	35-61	6.75
210	Copper, Antiqued	3	Redeem	40 <b>40</b>	5.10 5.55	667 667	Pol. Alum., no switch Ivory, no switch	3 <b>3</b>	Lasting Last	58-61 58-61	4.50
$\begin{array}{c} 211 \\ 212 \end{array}$	Copper, Antiqued Copper, Antiqued	4 3	Refuge Remedy	40	5.55	S667	Pol. Alum. shld. no switch		Latch	61	6.75
213	Copper, Antiqued	4	Remote	40	6.00	S667	Ivory, shield, no switch	3	Lastly	61	6.75
214	Copper, Antiqued	4	Repast	40	2.85	668	Pol. Alum., switch	3	Lend	58-61	6.15
215	Copper, Antiqued	2	Ruler	40	5.25	S668	Pol. Alum., switch, shield		Lender	61	8.85
$\begin{array}{c} 216 \\ 220 \end{array}$	Copper, Antiqued Copper, Antiqued	4	Rumor Ruin	40 39	6.60 5.40	669 S669	Pol. Alum., no switch Pol. Alum. shld. no switch	3	Lent Lenten	58-61 61	6.15 8.85
221	Copper, Antiqued	4	Riot	39	6.15	670	Pol. Alum., switch	3	Late	58-61	5.25
222	Copper, Antiqued	3	Rove	39	5.70	670	Pol. Alum., switch	3	Late	35	5.25
223	Copper, Antiqued	4	Rob	39	6.45	670	Ivory, switch	3	Later	35-58	5.25
225	Copper, Antiqued	4	Feign	40	4.20	S670	Pol. Alum., switch, shield		Lately	35-61	7.50
230	Copper, Antiqued	3	Feline Fel	39 39	5.85 6.15	S670	Ivory, switch, shield	3	Latest	35	7.50
231 232	Copper, Antiqued Copper, Antiqued	4	Felt	39	5.55	671 S671	Pol. Alum., cord, plug	. 3	Latent Lateral	58-61 61	6.00 8.25
233	Copper, Antiqued	4	Fellow	39	6.00	672	Pol. Alum., cord,plg,shld Pol. Alum., no switch	. 3	Lath	58-61	5.25
235	Copper, Antiqued	4	Feet	40	4.05	S672	Pol. Alum. shld. no switch		Lather	61	7.50
337	3 1/4 C. I. Ring (Bare)	24	Thorn	69	.48	673	Pol. Alum., switch	3	Lavish	58-61	6.15
338	4" C. I. Ring (Bare)	24	Tide	69	.66	S673	Pol. Alum., switch, shield		Latter	61	8.85
344	4 % " Dia. with screws	100	Tent		C 6.00	674	Pol. Alum., cord, plug	3	Lattice	58-61	6.75 9.45
345	5%" Dia. with screws	100	Term	69 per		S674	Pol. Alum., crd,plg,shield	3	Laud Laugh	61 58-61	6.15
346	6" Dia. with screws	100	Test		C 7.50	675 S675	Pol. Alum., no switch Pol. Alum. shld. no switch	1	Launch	61	8.85
485 486	Brown Red	3	Search Sentry	51 51	4.95 6.00	676	Pol.Alum. for 1 Lumiline		Lawn	60-62	3.00
487	Bronze	6	Signet	51	6.15	677	Pol.Alum. for 2 lum. opp	-	Lawyer	60-62	3.00
600	Pewter or Bronze	3	Daft	22	23.85	678	Pol. Alum. for 4 lum.cros	s 3	Lax	60-62	3.00
601	Pewter or Bronze	3	Daily	22	17.85	679	Pol.Alum. cor. for 2 lum		Lay	60-62	3.00
602	Bronze or Crackle Ivor	y 3	Dairy	23	21.00	680	Pol.Alum. for 1 lumiline		Layer Laying	60-62	3.00
603	Bronze or Crackle Ivor		Dainty	23	15.00	681	Pol.Alum. for 2 lum. opp		Layman	60-62	3.00
610	New Jvory	6	Dais	24	8.85 4.65	682 683	Pol.Alum. for 4 lum.cros Pol.Alum., cor. for 2 lum	^	Lazy	60-62	3.00
650 S650	Chrome, switch, shield	3	Labor Laborer	58-61 61	6.90	684	Pol.Alum. for 1 lumiline		Leach	60-62	3.00
651	Chrome, no switch	3	Lack	58-61	4.65	685	Pol.Alum. for 2 lum.opp	. 3	Leak	60-62	3.00
S651	Chrm., shield, no switc		Lacking	61	6.90	686	Pol.Alum. for 4 lum.cros		Lean	60-62	3.00
653	Chrome, switch	3	Lad	58-61	5.70	687	Pol.Alum. cor. for 2 lum		Ledge	61	2.25
S653	Chrome, switch, shield	3	Ladder Lade	61 58-61	8.40 5.70	691 691	Chrome, 12", shield only Ivory, 12", shield only	3	Laws	61	2.25
654 S654	Chrome, no switch Chrm., shield, no switch		Ladle	61	8.40	692	Chrome, 18", shield only		Lawful	61	2.70
656	Chrome, switch	3	Lady	58-61	4.20	692	Ivory, 18", shield only	3	Lawfull		2.70
656	Chrome, switch	3	Lady	35	4.20	693	Pol. Alum., for 1 lum.	3	Ledger	60-62	3.00
656	Ivory, switch	3	Lady	35-58 35-61	4.20 6.45	094	Pol.Alum. for 2 lum. opp	. 3	Left	60-62	3.00
S656	Chrome, switch, shield	3	Ladies Ladies	35-61	6.45	695	Pol. Alum. for 4 lum.cros	s 3	Leg Legacy	60-62	3.00
$\frac{8656}{657}$	Ivory, switch, shield Chrome, no switch	3		58-61	4.20	696	Pol.Alum. cor. for 2 lum	. 0	Degacy		
S657	Chrm., shield, no swite			61	6.45	720	3 Crackle Finishes Green, Rose, Ivory	4	Abate	32	4.65
658	Chrome, switch	3	Lair	58-61	4.95	721	3 Crackle Finishes				
S658	Chrome, switch, shield	3		61	7.65	121	Green, Rose, Ivory	4	Abbey	32	5.85
659	Chrome, no switch	3 h 3		58-61	4.95 7.65	722	3 Crackle Finishes		Abbot	32	6.30
S659 660	Chrm., shield, no switch	n 3		58-61	4.65	700	Green, Rose, Ivory	4	Abduct	14	6.00
S660	Chrome, switch, shield	3		61	6.90	730 731	Crackle Ivory or Alum. Crackle Ivory or Alum.	4	Abide	1.4	6.45
661	Chrome, cord, plug	3	Lancer	58-61	5.40	732	Crackle Ivory or Alum.	4	Ability	14	7.35
S661	Chrome, cord, plg, shie			61	7.65	733	Crackle Ivory or Alum.	4	Ahroad	14 42	5.55 5.55
662	Chrome, no switch	3		58-61	4.65	733	Aluminum or Bronze	4	Abroad Able	14	9.90
S662	Chrm., shield, no switch	eh 3 3		58-61	6.90	734	Crackle Ivory or Alum.		Aute		
663 S663	Chrome, switch Chrome, switch, shield	3		61	8.70	740	3 Finishes, Crackle Ivor	y 4	About	15	7.20
664	Chrome, cord, plug	3	_ ^	58-61	6.45	741	Also Bronze or Alum. 3 Finishes, Crackle Ivor				
S664	Chrome, cord, plg, shie	18 3	Lard	61	8.10	141	Also Bronze or Alum.	4	Above	15	7.35
665	Chrome, no switch	3		58-61 61	6.00 8.70	742	3 Finishes, Crackle Ivor	У	Ahmonet	15	8.55
S665	Chrm., shield, no switch Pol. Aluminum, switch	ch 3	m n	58-61	4.50		Also Bronze or Alum.	4	Abreast	10	
666 666		3		35	4.50	744	3 Finishes, Crackle Ivor Also Bronze or Alum.	4	Abrupt	15	10.50
666		6	Larva	58-61	4.50	75	AISO DIONZE OF AIGHT.				

Catalog		Std.			List	Catalog			Std.			List
No. 750	Finish  3 Finishes, Crackle Ivory	Pkg.	Code	Page	Price	No.		Finish	Pkg.	Code	Page	Price
100	Also Bronze or Alum.	4	Absent	16	\$ 6.90	1022-	471D	Ivory Browntone	0.4	A . * 4	0.4	
751	3 Finishes, Crackle Ivory		Absent	10	φ 0.50	1022-	1988	Comp. with Glass Ivory, Browntone	24	Assist	34	\$ 2.34
750	Also Bronze or Alum.	4	Absolve	16	7.20		1000	Comp. with Glass	6*	Habit	33	4.35
752	3 Finishes, Crackle Ivory		Abaanb	1.0	0.05	1230	Ivor	y, Browntone,				
753	Also Bronze or Alum. 3 Finishes, Crackle Ivory	. 4	Absorb	16	8.25		Glass	s in Jade, Rose,				
	Also Bronze or Alum.	4	Abuse	16	6.45	1004		ch Crystal, Honey	6	Day	33	6.60
754	3 Finishes, Crackle Ivory					1231		y, Browntone, ey Glass only	c	D	0.0	2.45
701	Also Bronze or Alum.	4	Abut	16	10.35	1232	Ivor	y, Browntone,	6	Daze	33	3.45
761 764	Aluminum or Bronze Aluminum or Bronze	4	Acacia	13-41	4.65			s in Jade, Rose,				
771	3 Crackle Finishes	2	Accent	13	11.85		Fren	ch Crystal, Honey	6	Dazzle	33	7.44
	Green, Rose, Ivory	4	Accept	11-32	4.50			. Bronze, ¾" slip	100			.39
772	Crackle Ivory	3	Access	11	10.95			. Bronze, 1/8" slip	100			.36
773 775	Crackle Ivory	3	Acclaim	11	10.95	1966		te Enamel, Bare	60	Tinge	69	.36
777	Crackle Ivory Crackle Ivory	3	Account	12 12	10.80 10.80	1966		ome, Bare White Enamel	$\frac{60}{24}$	Hie Haggis	69 36	.57 1.35
778	Crackle Ivory	4	Accrue	12	4.80			Chrome	24	Hail	36	1.65
901S	Aluminum, Mogul Skt.	3	Bail	46	15.60			te Enamel, Br'ntone				1.00
901C	Aluminum, Mogul Skt.	3	Bailer	46	13.50	1 20012		straps, 10 to pkg.	100	Festoon	69	.18
901N 901S	Aluminum, Mogul Skt.	3	Bailing	46	12.60	1967V	V Whi	te Enamel, Br'nt'ne				
901C	Aluminum, Medium Skt. Aluminum, Medium Skt.	3	Bake Baker	46 46	14.85 12.60	1000		ed Rec. and Strap	36	Hair	69	.36
901N	Aluminum, Medium Skt.		Baking	46	8.70	1968		sh Brass, Browntone straps, 10 to pkg.	100	Tender	69	.18
902S	Aluminum, Mogul Skt.	3	Bag	45	19.20	1976		y Pastel, Gold Ant.	6	Dad	26	2.25
902C	Aluminum, Mogul Skt.	3	Bagger	45	17.25	1977		y Pastel, Gold Ant.	6	Dado	26	2.25
902N	Aluminum, Mogul Skt.	3	Bagging	45	16.35	1983B	Whi	te Enamel, Bare	36	Feed	69	.60
903S 903C	Aluminum, Mogul Skt. Aluminum, Mogul Skt.	3	Bank Banker	47 47	15.15 12.90			ome, Bare	36	Hiero	69	.90
903N	Aluminum, Mogul Skt.	3	Banking	47	11.85			te Enamel, Keyless	36	High	69	.78
903S	Aluminum, Medium Skt.		Bark	47	14.25	1983N	Whi	ome, Keyless te Enamel, Pull	$\frac{36}{36}$	Higher Feeder	69 69	1.08
903C	Aluminum, Medium Skt.		Barker	47	12.00			ome, Pull	36	Highest	69	1.26
903N	Aluminum, Medium Skt.		Barking	47	10.95			White Enamel	12	Halloo	36	2.76
904S 904C	Aluminum, Mogul Skt.	3	Base	47	16.05			Chrome	12	Halter	36	3.06
904N	Aluminum, Mogul Skt. Aluminum, Mogul Skt.	3	Baser Basing	47 47	13.80 12.90	1983-2	2238	White Enamel,		~		
904S	Aluminum, Medium Skt.		Bat	47	15.30	1000 0	0000	Opal Glass	12	Halls	36	2.04
904C	Aluminum, Medium Skt.		Batter	47	13.05	1983-2		Chrome, Opal Glass White Enamel,	12	Halts	36	2.34
904N	Aluminum, Medium Skt.	3	Batting	47	12.00	10002	2000	Crystal Bot. Glass	12	Hall	36	2.34
910S	Aluminum, Mogul Skt.	3	Bear	48	29.55	1983-2	2238C	Chrome,				
910C 910N	Aluminum, Mogul Skt. Aluminum, Mogul Skt.	3	Bearer Bearing	<b>48</b> 48	27.75 27.00	l		Crystal Bot. Glass	12	Halt	36	2.64
910S	Aluminum, Medium Skt.		Beat	48	28.35			te Enamel, Bare	36	Glide	68-69	.42
910N	Aluminum, Medium Skt.	3	Beater	48	25.89	1985B	Stat	uary Bronze, Bare ome, Bare	36 36	Hiked	68-69 68-69	.48
910C	Aluminum, Medium Skt.	3_	Beating	48	26.40			te Enamel, Keyless	36	Higgle Hike	69	.60
920S 920C	Aluminum, Medium Skt.	3	Bend	49	12.00			. Bronze, Keyless	36	Hiking	68-69	.66
920N	Aluminum, Medium Skt. Aluminum, Medium Skt.	3	Bender Bending	49 49	9.75 9.00			ome, Keyless	36	Hiker	69	.90
922S	Aluminum, Medium Skt.		Bet	49	13.80			te Enamel, Pull uary Bronze, Pull	36	Hilt Hill	69 69	.78 .84
922C	Aluminum, Medium Skt.	3	Better	49	11.55			ome, Pull	36	Hilty	69	1.08
922N	Aluminum, Medium Skt.		Betting	49	10.65	1985-2		White Enamel				
922S 922C	Aluminum, Mogul Skt.	3	Bill	49	14.55			with Glass	12	Halve	36	1.86
922N	Aluminum, Mogul Skt. Aluminum, Mogul Skt.	3	Biller Billing	49 49	12.60 11.55	1985-2		Chrome with Glass	12	Hammer	36	2.16
923S	Aluminum, Mogul Skt.	3	Bath	50	15.75	1985-2	238C	White Enamel Crystal Bot. Glass	12	Halves	36	2.16
923C	Aluminum, Mogul Skt.	3	Bather	50	13.75	1985-2	2238C	Chrome	14	Haives	00	4.10
923N	Aluminum, Mogul Skt.	3	Bathing	50	12.60			Crystal Bot. Glass	12	Hammers	36	2.46
923S 923C	Aluminum, Medium Skt. Aluminum, Medium Skt.	3	Bead	50	15.00	1986		e Enamel	36	Handy	69	1.77
923N	Aluminum, Medium Skt.	ა 3	Beader Beading	50 50	12.60 12.00	1986	Chro		36	Hang	69	2.07
924S	Aluminum, Mogul Skt.	3	Bind	49	16.30	1988 1989	Ivory	y, Browntone	$\frac{6}{12}$	Gem Dart	33 35	3.30 1.65
924C	Aluminum, Mogul Skt.	3	Binder	49	14.40	1989	Chro		12	Darts	35	1.95
924N	Aluminum, Mogul Skt.	3	Binding	49	13.35	1991	Ivory		6	Dash	35	4.20
930	Aluminum or Bronze	3	Daisy	44	8.85	1991		hed Aluminum	6	Dashes	35	4.20
932E 932	Alum. or Bronze, Med. Alum. or Bronze, Mogul	3	Dally Dale	41	10.20	1992 1992	Ivory	hed Aluminum	6	Data Datum	35 35	3.90 3.90
934E	Alum. or Bronze, Med.	3	Dane	41	11.25 12.45	$\frac{1992}{2220}$		Bronze	3	Gab	1	8.25
934	Alum. or Bronze, Mogul	3	Dam	41	13.50	2221		Bronze	6	Gabble	1	4.80
940	Aluminum or Bronze	3	Dapper	44	10.50	2223		Bronze	3	Gad	$\hat{2}$	14.10
942E	Alum. or Bronze, Med.	3	Damper	42	11.70	2224		Bronze	3	Gag	2	14.85
942 944E	Alum. or Bronze, Mogul Alum. or Bronze, Med.	3	Damp	42	12.75	2225		Bronze	3	Gager	2	19.50
944	Alum. or Bronze, Med.	3	Dancer Dance	42 42	13.35 14.25	2226 2227		l Bronze l Bronze	3	Gain Gait	1 9	19.50 11.85
-	Ivory Poly Only	12	Adrift	34	1.20	2228		Bronze	3	Gala	9	15.75
	Ivory Poly Only	_ ~		04	1.40	2229		Bronze	3	Gale	2	8.85
1010	Pull Switch	12	Ancient	34	1.86	2230		Ivory	3	Gender	3	8.25
	Ivory Poly Only Ivory Poly Only	12	Fay	34	1.02	2231		Ivory	6	Genera	3	4.80
10101	Pull Switch	12	Sable	34	1.62	2233 2234		Ivory Ivory	3	Genial Genius	4	14.10
1022P	Ivory, Browntone			0.1	1.02	2235		Ivory	3	Gentle	4	19.50
	Pull Switch	24	Hick	33	1.56	2236	New	Ivory	3	Gently	3	19.50
1022B	Ivory Browntone, Bare Ivory, Browntone	24	Assisted	33	.96	2237		Ivory	3	Gentry	9	11.85
LUBER.	Key or Keyless	24	Hexa	33	1.44	2238 2239	New I	Ivory	3	Germ	9	15.75 8.85
					-70	6		J	U	400		0.00

When pendants are required in lengths over the standard length, following schedules apply: Bronze Chain, including wire...\$ .24 per ft

Catalog	Casing Sections, 7½" long	Std. Pkg.	Code	Page	List Price	Catalog		Std.			List
No. 2250	Finish Deep Bronze	3	Giant		\$ 7.95	No. 4066B	Browntone, White	Pkg.	Code	Page	Price
2251	Deep Bronze	6	Gibber	5	4.50		Enamel or Ivory, Bare	30	Harbor	69	\$.42
$2253 \\ 2254$	Deep Bronze Deep Bronze	3	Giblet Giddy	6	13.80 14.55		Chrome, Bare Browntone, White	30	Hip	69	.72
2255	Deep Bronze	3	Gift	6	18.75		Enamel, Ivory, Keyless	30	Hire	69	.66
2256	Deep Bronze Deep Bronze	3	Gig Gild	5 10	18.75 11.55	4066K	Chrome, Keyless	30	Hist	69	.90
2258	Deep Bronze	3	Gill	10	15.45	4070K	Browntone, Ivory, Bare Br'nt'ne, Ivory, Keyless	30	Kelp Hive	69 69	.45
2259	Deep Bronze	3	Gimp	6	8.55	4071B	Browntone, Ivory, Bare	30	Timber	69	.63
2260	New Ivory	3	Goad	7	7.95	4071K	Br'nt'ne, Ivory, Keyless	30	Hoax	69	.63
2261 2263	New Ivory New Ivory	6	Goal Gobble	7 8	4.50 13.80		Ivory Adaptalite	12	Date	35	.69
2264	New Ivory	3	Goblet	8	14.55		Chrome, Adaptalite 280 Ivory with Glass	12	Dates Define	35 35	.96 1.65
2265 2266	New Ivory New Ivory	3	Goblin Goby	8 7	18.75	4075-2	280 Chrome with Glass	6	Defines	35	1.95
2267	New Ivory	3	Going	10	18.75 11.55	4076-3	Black, C. I. Ring-3 ¼" Black, C. I. Ring-4"	24	Toga	69	.36
2268	New Ivory	3	Gold	10	15.45		Black, C. I. Ring-6"	24	Tail Token	69 69	2.10
2269	New Ivory	3	Golden	8	8.55	4136	Rich Gilt, Gold Pompeian		Tepee	69	.12
2700 2701	Bronze, Color Ant. Bronze, Color Ant.	6	Cube Cubic	29 29	1.05 1.95	5061	Brush Brass,	70	77: 1	0.0	Total Carlo
2702	Bronze, Color Ant.	4	Cuff	29	2.55	5061	no Skt. Cover, Bare Browntone,	72	Kick	69	.60
	Bronze, Color Ant.	3	Cult	29	4.05		with Skt. Cover, Bare	60	Hobby	69	.75
	Bronze, Color Ant. Bronze, Color Ant.	3 4	Cumber	29 29	4.95 5.25	5061	White Enamel,	60	U-L	00	
706	Bronze, Color Ant.	6	Curt	29	6.00	5061	with Skt. Cover, Bare Statuary Bronze,	60	Hobo	69	.81
707	Bronze, Color Ant. Bronze, Color Ant.	4 3	Custom	29	7.05		with Skt. Cover, Bare	60	Hock	69	.81
722	Bronze, Color Ant.	3	Cycle	29 29	3.45 4.05	5074	Bronze	24	Grin	68	.99
732	Bronze, Color Ant.	6	Curate	29	2.25	5074 5076	Chrome Bronze	24	Grind Grip	68 68	1.3
733	Bronze, Color Ant.	4	Current	29	2.85	5076	Chrome	24	Gripe	68	1.65
	Black, Red Letters, Bare Black, Red Letters, Bare		Retreat Revoke	51 51	2.55 4.50	5104	Bronze, Medium Skt.	24	Graze	68	2.25
108	White Enamel, Keyless	36	Pace	36	1.65	5104	Chrome, Medium Skt.	24	Grease	68	3.00
	Chrome, Keyless	36	Hank	36	1.95		Bronze, Medium Skt. Chrome, Medium Skt.	24	Great Grebe	68 68	2.55
	White Enamel, Pull chain Chrome, Pull Chain	36	Parent Hanker	36 36	1.95 2.10		Bronze, Mogul Skt.	24	Greek	68	3.15
109	White Enamel, Keyless	36	Hansom	36	2.37		Chrome, Mogul Skt.	24	Greet	68	4.05
109	Chrome, Keyless	36	Hap	36	2.79		Bronze, Medium Skt. Chrome Medium Skt.	24	Knack Hockey	68 68	2.23
110	White Enamel, Keyless with 2-piece Glass Unit	12	Dare	36	4.35	5108M	Bronze, Mogul Skt.	24	Gravy	68	2.25
	Chrome, Keyless		2410	00	1.00		Chrome, Mogul Skt.	24	Gray	68	2.70
	with 2-piece Glass Unit	12	Daring	36	4.65		E Bronze, Medium Skt. E Chrome, Medium Skt.	24	Knight Hocus	68 68	2.10
200	White Porcelain, no outlet	12	Protest	37	1.25		M Bronze, Mogul Skt.	24	Grew	68	2.10
205	White Porcelain	12	Trotest	91	1.35		M Chrome, Mogul Skt.	24	Grinde	68	2.55
	Like 3200 with outlet	12	Propel	37	1.65	5109	Bronze	24	Knave	68	1.56
600	White Porcelain White Porcelain	12 12	Pack Pal	37-63 63	1.05	5109 5109 1/2	Chrome Bronze	24	Hodge Kodak	68 68	2.07
	077 White Porcelain	14	1 41	00	1.20		Chrome	24	Hod	68	2.01
	with Glass	12	Palter	63	2.70	5114	Bronze	12 12	Granite	67 67	3.30
outD-	-2077D Ivory Porcelain Decorated, w. glass	12	Paltry	63	3.60	5114 5116E	Chrome Bronze, Medium Skt.	12	Grant Grantor	67	3.60
602	White Porcelain	12	Pan	63	1.05	5116E	Chrome, Medium Skt.	12	Grape	67	3.9(
602-2		10	Del			5116M	Bronze, Mogul Skt.	12 12	Graph	67 67	4.20
603	with Glass White Porcelain	12 12	Palmy Pander	63 63	2.40 1.35	$\frac{5116M}{5124}$	Chrome, Mogul Skt. Bronze	12	Grass	67	2.70
603-20		14	z wildel	00	1.00	5124	Chrome	12	Grate	67	3.45
	with Glass	12	Palmist	63	3.15	5126E	Bronze, Medium Skt.	12	Gratis	67 67	3.15
	White Porcelain no outlet	12	Pacify	37	2.25		Chrome, Medium Skt. Bronze, Mogul Skt.	12 12	Grave Gravel	67	3.60
	White Porcelain	14	Lacity	01	2.20	5126M	Chrome, Mogul Skt.	12	Graver	67	4.05
	Like 3610 with outlet	12	Packer	37	2.55	5144	Bronze	12	Grail	67	3.30
	White Porcelain	10	Pad	9.77	1 50	5144 5146E	Chrome Bronze, Medium Skt.	12 12	Grain Grainer	67 67	3.60
	no outlet White Porcelain	12	rau	37	1.50	5146E	Chrome, Medium Skt.	12	Gram	67	3.75
	Like 3620 with outlet	12	Padder	37	1.80	5146M	Bronze, Mogul Skt.	12	Grand	67 67	3.90
	White Porcelain	19	Pale	977	3 30		Chrome, Mogul Skt.	6	Grange	25	1.95
	no outlet White Porcelain	12	r are	37	3.30	6040 6041	Ivory, Maple, Gold Trim Ivory, Maple, Gold Trim	4	Ache	25-35	1.95
	Like 3630 with outlet	12	Paler	37	3.60	6041	Chrome	4	Aches	35	2.25
	White Porcelain	**	D. 1	0.7		6041S	Ivory, Maple, Browntone	4	Aching	25-34	2.85
	no outlet White Porcelain	12	Palm	37	2.25	60418	3 Crackle Finishes Green, Rose, Ivory	4	Aching	32	2.85
	Like 3640 with outlet	12	Palmer	37	2.55	6042	Ivory, Maple, Gold Trim	4	Acid	25	3.30
650	Ivory Porcln. Decrtd.	12	Paper	38	1.80	6043	Ivory, Maple, Gold Trim	4	Acidify	25	3.75
	Ivory Porcln. Decrtd.	12	Par	38	2.25	6045	Ivory, Maple, Gold Trim	2	Acidity	25 34-28	1.80
	no outlet Ivory Porcln. Decrtd.	12	Para	38	3.00	6051	Browntone, Ivory Browntone, Hi-lited	6	Harry Hart	28	4.80
	Ivory Porcin. Decrtd.	12	Parade	38	3.45	6054 6055	Browntone, Hi-lited	4	Hash	28	6.75
655	Ivory Porcln. Decrtd.					6056	Browntone, Hi-lited	6	Haste	28	6.90
	Like 3651 with outlet	12	Parable	38	2.55	6060	Browntone, Ivory	6	Hatch Hatchet	28-34 28	6.15
DEAD	Statuary Bronze, Bare	24	Keen	69 69	.75 1.20	6071K	Browntone, Hi-lited Browntone, Keyless	16	Haul	28	1.50
	Chrome Rare	7.0	Hindu								200
	Chrome, Bare Statuary Bronze	24	Hindu Hinge Hint	68-69 68-69	.90	6072	Browntone Hi-lited Browntone, Ivory	4	Have Hazard	28 34	3.60

-											
Catalog No.	Finish	Std. Pkg.	Code	Page	List Price	Catalog No.	Finish	Std. Pkg.	Code	Page	List Price
		12	Badge	31	\$ 1.80	7257	Browntone, Color Ant		Heel	. 30	\$ 6.60
6511	Gold, Antiqued	-				7265	Browntone, Color Ant.		Heft	30	4.05
6512	Gold, Antiqued	6	Badger	31	2.25						
6513	Gold, Antiqued	2	Backer	31	3.60	7800	Bronze, Antiqued	6	Lead	17	1.35
6514	Gold, Antiqued	6	Back	31	3.60	7801	Bronze, Antiqued	6	Leader	17	3.30
6515	Gold, Antiqued	4	Babe	31	4.20	7805	Bronze, Antiqued	3	Leaf	17	12.60
6516	Gold, Antiqued	6	Babel	31	4.20	7806	Bronze, Antiqued	3	Leaflet	17	12.60
6851	Dark Bronze, Antiqued	6	Header	27	2.40	8050	Bronze, Br'ntone, Ivor	y 6	Helve	18-33	1.35
6852	Dark Bronze, Antiqued	4	Heading	27	3.30	8051	Two-Tone Bronze	6	Helved	18	3.30
6853	Dark Bronze, Antiqued	3	Heady	27	4.50	8055	Two-Tone Bronze	4	Helving	18	9.90
6854	Dark Bronze, Antiqued	3	Heal	27	4.95	8056	Two-Tone Bronze	4	Hem	18	10.95
6855	Dark Bronze, Antiqued	4	Healed	27	7.65	8070	Bronze, Br'ntone, Ivor	y 6	Hemp	18-33	3.30
6856	Dark Bronze, Antiqued	6	Healing	27	8.10	8100	Pewter, Brass Trim	6	Fade	20	1.50
6857	Dark Bronze, Antiqued	. 6	Healer	27	8.55	8101	Pewter, Brass Trim	3	Falter	20	3.60
	Bronze, Antiqued	6	Mace	19	3.30	8110	Pewter, Brass Trim	3	Fame	20	3.15
7100		6	Mad	19-33	3.00	8111	Pewter, Brass Trim	6	Fagot	20	2.55
7101	Bronze, Ivory, Br'nt'ne	0		19-33	9.75	8112	Pewter, Brass Trim	6	Fain	20	3.30
7115	Bronze, Antiqued	3	Madras								6.60
7116	Bronze, Antiqued	3.	Madam	19	9.75	8123	Pewter, Brass Trim	4	Faint	20	
7250	Browntone, Color Ant.	6	Heaving	30	.75	8125	Pewter, Brass Trim	4	Fair	20	9.30
7251	Browntone, Color Ant.	6	Heavy	30	2.25	8133	Pewter, Brass Trim	4	Faith	20	7.35
7252	Browntone, Color Ant.	6	Hectic	30	3.00	8135	Pewter, Brass Trim	4	Falcon	20	10.05
7253	Browntone, Color Ant.	3	Hector	30	3.60	8540	Ivory Pastel, Ant. Gold	6	Dab	26	1.65
7254	Browntone, Color Ant.	-3	Heddle	30	3.90	8542	Ivory Pastel, Ant. Gold		Dabber	26	2.25
7255	Browntone, Color Ant.	- 6	Hedge	30	5.25	8543	Ivory Pastel, Ant. Gold		Dabbing	26	3.00
7256	Browntone, Color Ant.	6	Heed	30	5.55	8545	Ivory Pastel, Ant. Gold		Dabble	26	5.40
1200	Browntone, Color Ant.	0	Heeu		0.00	0010	roly rabbel, Hitt. dola	0	Dannie	20	

## THE FOLLOWING ITEMS ARE ALL SUBJECT TO PRICE SCHEDULE "L"

## NOTE: ALL ITEMS UNDER PRICE SCHEDULE "L" NOT SUBJECT TO SAME DISCOUNT AS PRICE SCHEDULE "F".

Catalog No.	Finish	Std. Pkg.	Code	Page	List Price	Catalog No.	Finish	Std. Pkg.	Code	Page	List Price
303	Sea Green or Bronze	6	Debit	73	8.50	4125	Antique Ivory	6	Decree	74	11.30
306	Statuary Bronze	6	Debut	73	5.10	4127	Antique Ivory	6	Deduce	72	10.60
314	English Bronze, Ivory	6	Decade	73	6.20	4133	Ivory	6	Deduct	73	9.40
400	Bronze, w. Glass & Shade	6	Officer	53	9.90	4137	Ivory	6	Deed	72	10.00
405	Bronze w. Glass & Shade		Office	54	7.65	4143	Statuary Bronze	6	Deep	73	7.70
	Bronze, Comp. with Lenz	6	Optical	55	10.00	4147	Statuary Bronze	6	Deeper	72	8.30
	Bronze, Comp. with Lenz	6	Optic	56	7.40	4149	Statuary Bronze	6	Official	52	11.65
735	Crackle Ivory or Alum.	4.	Abode	14	4.40	4153	Ivory	6	Deer	73	10.70
755 .	3 Finishes: Crackle Ivory					4179	Bronze and Gold	6	Offer	52	13.20
	Also Bronze or Alum.	4	Abyss	16	5.00	4184	Nov. Green or Bronze	6	Defend	74	12.40
762	Aluminum or Bronze	4	Accede	. 13	3.75	4185	Nov. Green or Bronze	6	Defer	74	12.80
3121	English Bronze, Ivory	6	Deck	74	7.90	4187	Nov. Green or Bronze	6	Deft	72	11.60
3152	English Bronze	6	Decker	74	9.00	4194	New Bronze	6	Defy	74	13.00
3212	Antique Ivory	6	Decant	74	9.90	4195	New Bronze	6	Dell	74	12.80
4124	Antique Ivory	6	Decoy	74	11.00	4197	New Bronze	6	Delta	72	11.60

## GLASSWARE PRICE LIST

ALL	PRICES SHOWN BELO	W A	RE FOR DO	DZEN	S.	GLAS	SWARE SUBJECT TO	PR	ICE SCH	EDULE	"F".
Catalog	731-1-1	Std.	G 1	~	List	Uatalog		Std.	-1-		List
No.	Finish	Pkg.	Code	Page	Price	No.	Finish	Pkg.	Code	Page	Price
T-4	Textolit, Ivory, White, 4"	12	Grade	66	9.00	2062BL	C.R.I., Black Line Dec.	24	Goner	64	10.56
G-6	6" I.E.S. Type Bowl, 21/4"	6	Daub	70	8.28	. 2070	Opal B't'm, Crys. Top		Good	64	18.00
T-6	Textolite, 6"x21/4"	6	Daunt	70	8.28	2070BD	Opal Unit, Decorated	12	Goth	65	18.00
G-8	8" I.E.S. Type Bowl, 2 1/4"	6	Davit	70	15.12	2070W	Opal Unit	12	Gout	65	10.80
T-8	Textolite, 8"x21/4"	6	Daw	70	15.12	2072	Opal B'tt'm, Crys. Top	4	Goodly	64	45.00
11	Opal Reflector	12	Scare	66	25.92	2072BD	Opal Unit, Decorated	4	Gothic	65	45.00
17	Opal Reflector	36	Scaup	66	8.82	2072W	Opal Unit	4	Govern	65	25.92
19	Opal Reflector	24	Scene	66	13.86	2074	Opal Bo't'm, Crys. Top	2	Goose	64	63.00
51	Decorated, Gray, Blue	36 A	sst. Schis	n 66	6.30	2074BD	Opal Unit, Decorated	2	Gouge	65	63.00
G-95	9%" I.E.S. Bowl, 2%"	6	Dawn	70	22.68	2074W	Opal Unit	2	Gown	65	35.04
T-95	Textolite, 9 % "x2 %"	6	Dawning	70	22.68	2076	Opal B'tt'm, Crys. Top	1	Gopher	64	73.80
G-102	10" I.E.S. Bowl, 21/4"	6	Deacon	70	22.68	2076BD	Opal Unit, Decorated	1	Gouger	65	81.00
G-103	10" I.E.S. Bowl, 2 %"	6	Deal	70	22.68	2076W	Opal Unit	1	Grab	65	49.80
G-104	10" I.E.S. Bowl, 3"	6	Dean	.70	22.68	2077	Opal, Crystal Bottom	12	Gore	64	14.40
G-105	10" I.E.S. Bowl, 3" slip	6	Debar	70	22.68	2077D	Ivory, Decorated	12	Gorge	64	19.80
471D-2	222 Decorated w. flowers,					2078	Opal B'tt'm, Crys. Top		Gorse	64	12.60
	Pink, Blue, Yellow		sst. Scree	n 66	9.00	2078BD	Opal Unit, Decorated	12	Gourd	65	15.00
514	Satin Embossed Bowl	4	Shame	66	36.00	2078W	Opal Unit	12	Grace	65	7.92
516	Satin Embossed Bowl	6	Snore	66	60.00	20.79	Opal Crystal Bottom	12	Gospel	64	18.00
18347	Half-Hand Opal Shade	24	Spark	66	5.55	2090	Luminex Unit, 8 1/4 dia.		Shore	65	7.65
2006	6" Opal Ball	12	Saddle	66	5.55	2092	Luminex Unit, 10 dia.	4	Shout	65	23.40
2007	7" Opal Ball	12	Graft	66	6.00	2094	L'min'x Unit, 13 ½ dia.	2	Shoed	65	29.70
2008	8" Opal Ball	12	Hokum	66	9.00	2238W	Opal Kitchen Unit	12	Homing	65	11.25
2012	12" Opal Ball	12	Hole	66	30.00	2238C	Crystal Bottom Unit	12	Homely	65	15.00
2014	14" Opal Ball	12	Holly	66	45.00	2250W	Crystal Bottom Unit	12	Gossip	65	27.00
2016	16x6 Opal Ball	2	Hurt	66	63.00	2250D	Crystal B'tt'm, Dertd.	12	Got	65	42.60
2016A	16x8 Opal Ball	2	Hurts	66	63.00	2280	Luminex Unit, 8 1/4 dia.	12	Sieve	65	7.65
2026	6" Mission Bell	24	Saber	66	5.25	2290	Luminex Unit, 9 dia.	12	Sign	65	7.95
2027	7". Mission Bell	24	Sack	66	6.90	2291	Luminex Unit, 10 dia.	4	Sight	65	12.60
2060	C.R.I. Lantern Globe		Golf	64	6.00	2292	Luminex Unit, 8 1/2 dia.	4	Silo		23.40
2060Bl			Golfer	64	10.56	2294	L'min'x Unit, 13 ½ dia.	2	Siren		29.70
2061	Amber or Etched	24	Gondola	64	6.00	2296	L'min'x Unit, 15 ½ dia.	2	Slab	65	39.65
2062	C.R.I. Lantern Globe	24	Gone	64	6.00	0					

# BETTER

FOR

BETTER

